

Viewsonic CDE5512 Signage Display Digital signage flat panel 139.7 cm (55") LED Wi-Fi 290 cd/m² 4K Ultra HD Black Built-in processor Android 9.0 16/7

Brand : Viewsonic

Product code: CDE5512

Product name : CDE5512




55", 3840 x 2160, 16:9, IPS, 290 cd/m², Dual-core G52MP2, 1.5GHz, 2GB DDR4, 16GB eMMC, Speakers, HDMI, USB Type-C, RS232, RJ45, VESA

Viewsonic CDE5512. Product design: Digital signage flat panel. Display diagonal: 139.7 cm (55"), Display technology: LED, Display resolution: 3840 x 2160 pixels, Display brightness: 290 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 16/7. Operating system installed: Android 9.0. Product colour: Black



Display		Performance	
LED backlighting type	Direct-LED	Purpose *	Commercial
Display diagonal *	139.7 cm (55")	Operating hours (hours/days)	16/7
Display technology *	LED	Power	
Display resolution *	3840 x 2160 pixels	Power consumption (typical) *	100 W
Display brightness *	290 cd/m ²	Power consumption (standby) *	0.5 W
HD type *	4K Ultra HD	AC input voltage	100 - 240 V
Touchscreen *	✗	AC input frequency	50 - 60 Hz
Native aspect ratio	16:9	Computer system	
Response time	8 ms	Computer system *	✓
Contrast ratio (typical)	1200:1	Computer system type	System on Chip (SoC)
Contrast ratio (dynamic)	5000:1	Built-in processor *	✓
Viewing angle, horizontal	178°	Processor manufacturer	ARM
Viewing angle, vertical	178°	Processor family	ARM Cortex
Display number of colours	1.07 billion colours	Processor model	A53
Display diagonal (metric)	139.7 cm	Processor frequency	1.5 GHz
Haze rate	2%	Processor cores	4
Surface hardness	3H	Internal memory	2 GB
Ports & interfaces		Internal storage capacity	16 GB
HDMI ports quantity *	2	Operating system installed	Android 9.0
HDMI version	2.0	Weight & dimensions	
HDMI input ports quantity	2	Width	1243.7 mm
DVI port *	✗	Depth	79.8 mm
VGA (D-Sub) input ports	1	Height	722.3 mm
USB port *	✓	Weight	12.9 kg
USB ports quantity	2	Packaging data	
USB version	2.0	Package width	1328 mm
Ethernet LAN *	✓	Package depth	180 mm
Ethernet LAN (RJ-45) ports	1		

Ports & interfaces		Packaging data	
Wi-Fi *	✓	Package height	786 mm
RS-232 interface	✓	Package weight	18.4 kg
Audio		Packaging content	
Built-in speaker(s) *	✓	Remote control included	✓
Number of built-in speakers	2	Batteries included	✓
RMS rated power	10 W	Cables included	AC, HDMI, RS-232
Design		Operational conditions	
Product design *	Digital signage flat panel	Operating temperature (T-T)	0 - 40 °C
Placement supported *	Indoor	Operating relative humidity (H-H)	20 - 80%
Product colour *	Black	Technical details	
VESA mounting *	✓		
Panel mounting interface	200 x 200 mm		
Anti-glare screen	✓		
		Sustainability certificates	ENERGY STAR
		Compliance certificates	RoHS



0766907017649



766907017649

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.