

## CyberPower PR1000RT2UC uninterruptible power supply (UPS) Line-Interactive 1 kVA 1000 W 8 AC outlet(s)

**Brand :** CyberPower

**Product code:** PR1000RT2UC

**Product name :** PR1000RT2UC



1000 VA / 1000 W, Line Interactive, Sine Wave, 100-125 VAC  $\pm$  5%, NEMA 5-15P, 10 ft. cord  
CyberPower PR1000RT2UC. UPS topology: Line-Interactive, Output power capacity: 1 kVA, Output power: 1000 W. AC outlet types: NEMA 5-15P, Power plug: NEMA 5-15P, AC outlets quantity: 8 AC outlet(s).  
Battery replacement accessibility: End-user, Battery technology: Sealed Lead Acid (VRLA), Battery capacity: 7 Ah. Form factor: Rackmount/Tower, Product colour: Black, Housing material: Metal. Cables included: USB cable, Serial



Features		Battery	
UPS topology *	Line-Interactive	Typical backup time at full load	7 min
Output power capacity *	1 kVA	Typical backup time at half load	10.5 min
Output power *	1000 W	Battery recharge time	3 h
Waveform *	Sine	Hot-swap battery	✓
Input operation voltage (min) *	75 V	Replacement battery cartridge	RB1270X4H
Input operation voltage (max) *	149 V	<b>Design</b>	
Input frequency *	47/63 Hz	Form factor *	Rackmount/Tower
Output operation voltage (max)	120 V	Housing material	Metal
Output frequency	60 Hz	Rack capacity	2U
Surge energy rating	2430 J	Cable length	3 m
Response time	6 ms	Product colour *	Black
Heat dissipation	48.6 BTU/h	Control type	Buttons
Power factor	1	Display type	LCD
EMI/RFI noise filtering	✓	LED indicators	Power, Fault, Battery level
Surge protection	✓	<b>Operational conditions</b>	
Audible alarm(s)	✓	Operating temperature (T-T)	0 - 40 °C
Audible alarm modes	Alarm when on battery, Fault, Low battery alarm, Overload alarm	Storage temperature (T-T)	-15 - 45 °C
<b>Ports &amp; interfaces</b>		Operating relative humidity (H-H)	0 - 95%
AC outlet types	NEMA 5-15P	Storage relative humidity (H-H)	0 - 95%
Power plug	NEMA 5-15P	Operating altitude	0 - 3000 m
AC outlets quantity	8 AC outlet(s)	<b>Packaging content</b>	
Serial interface	✓	Cables included	USB cable, Serial
Serial ports quantity	1	<b>Weight &amp; dimensions</b>	
Network card slot	✗	Width	434.3 mm
<b>Battery</b>		Depth	411.5 mm
Battery replacement accessibility	End-user	Height	86.4 mm
Battery technology	Sealed Lead Acid (VRLA)	Weight	22.7 kg

**Battery**

Battery capacity	7 Ah
Battery voltage	12 V
Number of batteries supported	4

**Packaging data**

Package width	5334 mm
Package depth	5588 mm
Package height	2667 mm
Package weight	26.3 kg



0649532935482



649532935482

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.