## Targus DOCK182USZ laptop dock/port replicator USB 3.2 Gen 2 (3.1 Gen 2) Type-C Black

Brand : Targus Product code: DOCK182USZ

Product name: DOCK182USZ

- Supports single and dual 4K UHD @ 60 Hz video via two DisplayPort™ 1.2a ports or HDMI 2.0 ports
- Power Delivery 3.0 up to 100W for USB-C hosts
- 1 USB 3.2 Gen 2 Type-C (10 Gbps) port
- 4 USB 3.2 Gen 1 Type-A ports (1 fast charging)
- 1 Gigabit Ethernet port
- 1 3.5mm combo Audio In/Out port
- Integrated lock slot accommodates standard security locks to safeguard equipment
- 1M USB-C detachable host cable (C/M to C/M) with (C/F to A/M) tethered adapter
- Compatible with Targus VESA® Mounting Bracket (ACX003GLZ, sold separately)
- 2 x HDMI, 2 x DisplayPort, 4 x USB-A, USB-C, Audio Ports, Black, 100 W

Targus DOCK182USZ. Host interface: USB 3.2 Gen 2 (3.1 Gen 2) Type-C, DisplayPort version: 1.2a. Product colour: Black, Cable lock slot type: Kensington, Hub interfaces: 3.5mm, DisplayPort, HDMI, RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB Type-C. Power supply: 100 W, Output voltage: 20 V. Other operating systems supported: Android. Width: 179.3 mm, Depth: 82.5 mm, Height: 31.8 mm





Ports & interfaces		Software	
Host interface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	Windows operating systems supported	<b>✓</b>
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Mac operating systems supported	<b>✓</b>
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1	Linux operating systems supported	✓ Android
USB Power Delivery (USB PD)	✓	Other operating systems supported	Android
USB Power Delivery revision	3.0	Weight & dimensions	
HDMI ports quantity *	2	Width	179.3 mm
HDMI version	2.0	Depth	82.5 mm
DisplayPorts quantity	1	Height	31.8 mm
DisplayPort version	1.2a	Weight	344.7 g
Combo headphone/mic port	✓	Packaging data	
DC-in jack	✓	Quantity per pack	1 pc(s)
Network		Packaging content	
Ethernet LAN (RJ-45) ports	1	Cables included	USB
Performance		Quick start guide	✓
Cable lock slot type Product colour * Hub interfaces	Kensington Black 3.5mm, DisplayPort, HDMI, RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A,	Packaging content	USB C/M to C/M Cable, Black; 1m, 5A, 10Gbps, E-marked, screw-in (part# ACC1133GLX) Adapter, AC to DC, output: 19V, 7.89A, 150W (part# 800-0496-001A) AC Power
	USB Type-C		Cord, C5 Connector, US plug 3P, 1.8M (part# 511-0518-001A)
Power			, and a second
Power supply	100 W		
Output voltage	20 V		





092636357269

0092636357269

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.