

APC AP8832 power distribution unit (PDU) 24 AC outlet(s) Black

Brand : APC Product code: AP8832


Product name: AP8832

Rack 2G, Metered, NEMA 5-20R x 20, NEMA L5-30P, 2880 VA

APC AP8832 power distribution unit (PDU) 24 AC outlet(s) Black:

APC Metered Rack Power Distribution Units (PDUs) provide active metering to enable energy optimization and circuit protection. User-defined alarm thresholds mitigate risk with real-time local and remote alerts to warn of potential circuit overloads. Metered Rack PDUs provide power utilization data to allow Data Center Managers to make informed decisions on load balancing and right sizing IT environments to lower total cost of ownership. Metered Rack PDUs include real power monitoring, a temperature/humidity sensor port, locking IEC receptacles, and ultra low profile circuit breakers. Users can access and configure Metered Rack PDUs through secure Web, SNMP, or Telnet Interfaces which are complimented by APC Centralized Management platforms using InfraStruxure Central, Operations, Capacity, and Energy Efficiency.

Design		Operational conditions	
PDU types * Mounting Product colour	Metered Horizontal/Vertical Black	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	-5 - 45 °C -25 - 65 °C 5 - 95%
Ports & interfaces		Storage relative humidity (H-H)	5 - 95%
AC outlets quantity * Power plug	24 AC outlet(s) NEMA L5-30P	Operating altitude Non-operating altitude	0 - 3000 m 0 - 15000 m
AC outlet types *	NEMA 5-20R	Weight & dimensions	
Features		Width Depth	55 mm 44 mm
LED indicators	✓	Height	1791 mm
Cable length	3 m	Weight	6.67 kg
Power		Packaging data	
Nominal input voltage * AC input frequency Nominal output voltage Load capacity	100 - 120 V 50 - 60 Hz 100-120 V 2880 VA	Package weight Package width Package depth Package height	8.58 kg 160 mm 108 mm 2006 mm
Maximum input current per phase Power protection features	30 A Overload	Logistics data	
Certificates		Total carbon footprint (kg of CO2e)	25316.87
Compliance certificates Certification	RoHS cUL Listed, FCC Part 15 Class A, ICES-003, PSE, UL 60950-1, UL Listed		





731304307334

0731304307334

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.