



Viewsonic VX4381-4K computer monitor 109.2 cm (43") 3840 x 2160 pixels 4K Ultra HD LED Black

Brand : Viewsonic

Product code: VX4381-4K

Product name : VX4381-4K


LED, 43", 3840 x 2160, MVA, 450 cd/m², 16:9, 3 ms, 178°/178°, HDMI, DisplayPort, 2 x 7 W speakers, VESA 200 x 100

Viewsonic VX4381-4K. Display diagonal: 109.2 cm (43"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LED, Response time: 3 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub. VESA mounting. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	109.2 cm (43")	HDMI *	✓
Display resolution *	3840 x 2160 pixels	HDMI ports quantity	2
HD type *	4K Ultra HD	HDMI version	2.0
Native aspect ratio *	16:9	DisplayPorts quantity	2
Display technology *	LED	Mini DisplayPorts quantity	1
Panel type *	MVA	Ergonomics	
Touchscreen *	✗	VESA mounting *	✓
Display brightness (typical)	450 cd/m ²	Panel mounting interface	200 x 100 mm
Response time *	3 ms	Cable lock slot *	✓
Screen shape *	Flat	Cable lock slot type	Kensington
Supported graphics resolutions	3840 x 2160	Tilt adjustment	✓
Supported video modes	2160p	Tilt angle range	-5 - 23°
Contrast ratio (typical) *	4000:1	Power	
Contrast ratio (dynamic)	120000000:1	Power consumption (typical) *	102 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.5 W
Viewing angle, vertical	178°	Power consumption (max)	157 W
Display number of colours *	1.07 billion colours	AC input voltage	100 - 240 V
Digital horizontal frequency	24 - 160 kHz	AC input frequency	50 - 60 Hz
Digital vertical frequency	50 - 75 Hz	Operational conditions	
Multimedia		Operating temperature (T-T)	0 - 40 °C
Number of speakers	2	Operating relative humidity (H-H)	20 - 90%
Built-in speaker(s) *	✓	Weight & dimensions	
Design		Width (with stand)	977 mm
Product colour *	Black	Depth (with stand)	345 mm
Ports & interfaces		Height (with stand)	660 mm
Built-in USB hub *	✓	Width (without stand)	977 mm
USB upstream port type	USB Type-B		

Ports & interfaces		Weight & dimensions	
Number of USB Type-B upstream ports quantity	1	Depth (without stand)	58 mm
USB Type-A downstream ports quantity	4	Height (without stand)	567 mm
		Packaging data	
		Package width	1081 mm
		Package depth	413 mm
		Package height	785 mm



0766907011289



766907011289

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.