



APC SMT2200RM2UC uninterruptible power supply (UPS) Line-Interactive 2.2 kVA 1980 W 8 AC outlet(s)



Brand : APC

Product code: SMT2200RM2UC

Product name : SMT2200RM2UC

2.2 kV, 1.98 kW, 75-154V, 530J, 2U, 480x683x86mm, 43.21kg, Black

APC SMT2200RM2UC. UPS topology: Line-Interactive, Output power capacity: 2.2 kVA, Output power: 1980 W. AC outlet types: NEMA 5-15R, NEMA 5-20R, Power plug: NEMA 5-20P, AC outlets quantity: 8 AC outlet(s). Battery technology: Sealed Lead Acid (VRLA), Battery life (max): 5 year(s), Battery recharge time: 3 h. Form factor: Rackmount, Product colour: Black, Rack capacity: 2U. Certification: CSA, FCC, UL

Features		Battery	
UPS topology *	Line-Interactive	Number of batteries supported	1
Output power capacity *	2.2 kVA	Battery life (max)	5 year(s)
Output power *	1980 W	Battery recharge time	3 h
Waveform *	Sine	Hot-swap battery	✓
Input operation voltage (min) *	75 V	Automatic battery test	✓
Input operation voltage (max) *	154 V	Cold start	✓
Input frequency *	50/60 Hz	Design	
Output operation voltage (min)	110 V	Form factor *	Rackmount
Output operation voltage (max)	127 V	Rack capacity	2U
Output frequency	50/60 Hz	Cable length	2.44 m
Automatic Voltage Regulation (AVR)	✓	Product colour *	Black
Surge energy rating	530 J	Display type	LCD
Emergency Power Off (EPO)	✓	LED indicators	Status
Output voltage Total Harmonic Distortion (THD)	5%	Operational conditions	
Noise level	55 dB	Operating temperature (T-T)	0 - 40 °C
Audible alarm(s)	✓	Storage temperature (T-T)	-15 - 45 °C
Web-based management	✓	Operating relative humidity (H-H)	0 - 95%
Audible alarm modes	Alarm when on battery, Low battery alarm, Overload alarm	Storage relative humidity (H-H)	0 - 95%
Temperature voltage compensation	✓	Operating altitude	0 - 3000 m
Ports & interfaces		Non-operating altitude	0 - 15000 m
AC outlet types	NEMA 5-15R, NEMA 5-20R	Certificates	
Power plug	NEMA 5-20P	Certification	CSA, FCC, UL
AC outlets quantity	8 AC outlet(s)	Sustainability	
USB port	✓	Sustainability certificates	ENERGY STAR
Serial interface	✓	Weight & dimensions	
Serial interface type	RJ-45	Width	480 mm
Ethernet LAN (RJ-45) ports	1	Depth	683 mm
SmartSlot	✓	Height	86 mm
Battery		Weight	43.2 kg
Battery technology	Sealed Lead Acid (VRLA)	Packaging data	
		Package width	600 mm
		Package depth	980 mm
		Package height	254 mm
		Package weight	49.7 kg
		Logistics data	
		Products per pallet	8 pc(s)



0731304331056



731304331056

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.