APC SMT3000RM2UC uninterruptible power supply (UPS) Line-Interactive 2.88 kVA 2700 W 8 AC outlet(s)



Brand : APC

Product code: SMT3000RM2UC

Product name : SMT3000RM2UC

2.88kVA, 2.7kW, 75-154V, 50/60Hz, 459J, 480x683x86mm, 44.28kg, Black

APC SMT3000RM2UC. UPS topology: Line-Interactive, Output power capacity: 2.88 kVA, Output power: 2700 W. AC outlet types: NEMA 5-15R, NEMA 5-20R, Power plug: NEMA L5-30P, AC outlets quantity: 8 AC outlet(s). Battery technology: Sealed Lead Acid (VRLA), Battery life (max): 5 year(s), Battery recharge time: 3 h. Form factor: Rackmount, Product colour: Black, Rack capacity: 2U. Certification: FCC, CSA, UL

Fosturos		Pottom	
Features		Battery	
UPS topology *	Line-Interactive	Automatic battery test	1
Output power capacity * Output power *	2.88 kVA 2700 W	Design	
Waveform *	Sine	Form factor *	Rackmount
Input operation voltage (min) *	75 V	Rack capacity	20
Input operation voltage (max) *	154 V	Cable length	2.44 m
Input frequency *	50/60 Hz	Product colour *	Black
Output operation voltage (min)	110 V	Display type	LCD
Output operation voltage (max)	127 V	LED indicators	Status
Output frequency	50/60 Hz	Operational conditions	
Automatic Voltage Regulation (AVR)	1	Operating temperature (T-T)	0 - 40 °C
Surge energy rating	459 J	Storage temperature (T-T)	-15 - 45 °C
Output voltage Total Harmonic Distortion (THD)	5%	Operating relative humidity (H-H)	0 - 95%
Noise level	55 dB	Storage relative humidity (H-H)	0 - 95% 0 - 3000 m
Surge protection	1	Operating altitude Non-operating altitude	0 - 15000 m
Audible alarm(s)	1	Certificates	0 - 13000 m
Web-based management	1		
Auto-restart	1	Certification	FCC, CSA, UL
Temperature voltage compensation	1	Packaging content	
		Cables included	RS-232, USB cable
Ports & interfaces		Quick installation guide	✓
AC outlet types	NEMA 5-15R, NEMA 5-20R	Sustainability	
Power plug AC outlets quantity	NEMA L5-30P 8 AC outlet(s)	Sustainability certificates	ENERGY STAR
USB port		Weight & dimensions	
USB 2.0 ports quantity	1	Width	480 mm
SmartSlot	/	Depth	683 mm
	•	Height	86 mm
Battery		Weight	44.3 kg
Battery technology	Sealed Lead Acid (VRLA)	Packaging data	
Number of batteries supported	1		
Battery life (max)	5 year(s)	Screws included	
Battery recharge time	3 h	Resource CD	√
Hot-swap battery		Software CD	✓
		Package width	600 mm
		Package depth	980 mm
		Package height	254 mm
		Package weight	51.7 kg
		Logistics data	
		Products per pallet	8 pc(s)

Logistics data

Harmonized System (HS) code

85078000





731304331070

0731304331070

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.