

j5create JCD389 Ultradrive Kit USB-C™ Multi-Display Modular Dock, includes 2x HDMI ports and 4x USB ports, Silver and White

Brand : j5create

Product code: JCD389-N

Product name : JCD389 Ultradrive Kit USB-C™ Multi-Display Modular Dock, includes 2x HDMI ports and 4x USB ports, Silver and White



JCD389 Ultradrive Kit USB-C Multi-Display Modular Dock, includes 2x HDMI ports and 4x USB ports, Silver and White

[j5create JCD389 Ultradrive Kit USB-C™ Multi-Display Modular Dock, includes 2x HDMI ports and 4x USB ports, Silver and White:](#)

The award-winning USB-C™ Multi-Display Modular Dock is a versatile mini docking station featuring 5 detachable magnetic kits along with the main body for 12 combinations of configurations for video, data storage and charging. With the JCD389, you can easily create a triple display setup from your MacBook Pro®. The 5 detachable magnetic kits are stand-alone mini adapters that allow you to expand even further with additional functions. This modular dock is a perfect all-in-one solution for you to connect your USB-C™ laptops to any device whether in the office, at home or on the road by switching the modules accordingly. A hard-shell carrying case is also included to eliminate the hassle of carrying and sorting multiple adapters and cables, making the modular dock a perfect travel accessory



Ports & interfaces		Operational conditions	
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Storage relative humidity (H-H)	0 - 85%
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Weight & dimensions	
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	2	Width	34 mm
USB Power Delivery (USB PD)	✓	Depth	98 mm
USB Power Delivery revision	3.0	Height	13 mm
USB Power Delivery up to	100 W	Weight	59 g
HDMI ports quantity *	2	Packaging data	
VGA (D-Sub) ports quantity	1	Quantity per pack	1 pc(s)
USB Type-C DisplayPort Alternate Mode	✓	Package width	193 mm
Network		Package depth	125 mm
Ethernet LAN (RJ-45) ports	1	Package height	35 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Package weight	273.5 g
Performance		Packaging content	
Card reader integrated *	✓	Quick start guide	✓
Compatible memory cards	MicroSD (TransFlash), SD	Packaging content	1 x JCD389 Ultradrive Kit USB-C™ Multi-Display Modular Dock, 1 x Hard Carrying Case, 1 x Quick Installation Guide
HD type	4K Ultra HD	Technical details	
Number of displays supported	3	Box contents	1 x JCD389 Ultradrive Kit USB-C™ Multi-Display Modular Dock, 1 x Hard Carrying Case, 1 x Quick Installation Guide
Maximum refresh rate	30 Hz	Master (outer) case GTIN (EAN/UPC)	24712795083723
Product colour *	Silver, White	Warranty period	2 year(s)
Hub interfaces	HDMI, Mini DisplayPort, RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-C, VGA	Logistics data	
Plug and Play	✓	Products per master (outer) case	18 pc(s)
Housing material	Acrylonitrile butadiene styrene (ABS), Aluminium	Master (outer) case width	280 mm
Country of origin	Taiwan		

Power		Logistics data	
Power supply	4.5 W	Master (outer) case length	430 mm
Power supply type	USB	Master (outer) case height	235 mm
Output voltage	5.05 V	Master (outer) case gross weight	5.97 kg
Output current	0.14 A	Products per shipping (inner) case	6 pc(s)
Software		Export Control Classification Number (ECCN)	EAR99
Windows operating systems supported	✗	Shipping (inner) case width	21.2 cm
Mac operating systems supported	✓	Shipping (inner) case length	26.9 cm
		Shipping (inner) case height	13 cm
Operational conditions		Other features	
Operating temperature (T-T)	0 - 40 °C	Maximum operating temperature	40 °C
Storage temperature (T-T)	-10 - 65 °C	USB ports quantity	4
Operating relative humidity (H-H)	0 - 85%		



4712795083729



(01)24712795083723

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.