



DELL Pro P P2726DEV computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black, Silver

Brand : DELL

Product family: Pro P

Product code: DELL-P2726DEV

Product name : P2726DEV

- 27" LCD IPS
- Quad HD, 16:9, 2560 x 1440
- 100Hz, 5ms, 350cd/m²
- USB Hub, USB PD (90W), WebCam
- 27", 2560 x 1440 Edge LED IPS, 100Hz, 16:9, 350cd/m², 5ms, 178°/178°, WebCam, USB PD (90W)


DELL Pro P P2726DEV computer monitor 68.6 cm (27") 2560 x 1440 pixels Quad HD LCD Black, Silver:

Elevate collaboration in open workspaces with a 27-inch QHD IPS monitor featuring a built-in webcam. DELL Pro P P2726DEV. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black, Silver



| | | | |
|--------------------------------|---|---|---------------|
| Display | | Ports & interfaces | |
| Display diagonal * | 68.6 cm (27") | HDCP version | 1.4 |
| Display resolution * | 2560 x 1440 pixels | Network | |
| HD type * | Quad HD | Ethernet LAN | ✓ |
| Native aspect ratio * | 16:9 | Ergonomics | |
| Display technology * | LCD | VESA mounting * | ✓ |
| Panel type * | IPS | Panel mounting interface | 100 x 100 mm |
| LED backlight | ✓ | Cable management | ✓ |
| Backlight type | Edge LED | Cable lock slot * | ✓ |
| Touchscreen * | ✗ | Cable lock slot type | Kensington |
| Display brightness (typical) | 350 cd/m ² | Height adjustment * | ✓ |
| Response time * | 8 ms | Adjustable height (max) | 15 cm |
| Response time measurement type | GTG (Gray to Gray) | Pivot | ✓ |
| Anti-glare screen | ✓ | Pivot angle | -90 - 90° |
| Screen shape * | Flat | Swivelling | ✓ |
| Supported graphics resolutions | 640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 720 (HD 720), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080), 2560 x 1440 | Swivel angle range | -45 - 45° |
| Supported video modes | 1080p, 480p, 576p, 720p | Tilt adjustment | ✓ |
| Contrast ratio (typical) * | 1500:1 | Tilt angle range | -5 - 21° |
| Maximum refresh rate * | 100 Hz | On Screen Display (OSD) | ✓ |
| Viewing angle, horizontal | 178° | Power | |
| Viewing angle, vertical | 178° | Energy efficiency class (SDR) * | E |
| Display number of colours * | 16.78 million colours | Energy efficiency class (HDR) * | Not available |
| Response time (fast) | 5 ms | Energy consumption (SDR) per 1000 hours * | 21 kWh |
| Pixel pitch | 0.2331 x 0.2331 mm | Power consumption (typical) * | 20.9 W |
| Pixel density | 109 ppi | Power consumption (standby) * | 0.5 W |
| Viewable size, horizontal | 59.7 cm | Power consumption (max) | 190 W |
| Viewable size, vertical | 33.6 cm | Power consumption (off) | 0.3 W |
| Viewable size diagonal | 68.5 cm | AC input voltage | 100 - 240 V |
| Digital horizontal frequency | 30 - 151 kHz | AC input frequency | 50/60 Hz |

| | | | |
|--|------------------------|-----------------------------------|--|
| Display | | Power | |
| Digital vertical frequency | 48 - 100 Hz | Input current | 2.5 A |
| Surface hardness | 3H | Power supply type | Internal |
| sRGB coverage (typical) | 99% | Energy efficiency scale | A to G |
| Performance | | Operational conditions | |
| Flicker-free technology | ✓ | Operating temperature (T-T) | 0 - 40 °C |
| Low Blue Light technology | ✓ | Storage temperature (T-T) | -20 - 60 °C |
| Multimedia | | Operating relative humidity (H-H) | 10 - 80% |
| Built-in speaker(s) * | ✗ | Storage relative humidity (H-H) | 5 - 90% |
| Megapixel (approx.) | 4 MP | Operating altitude | 0 - 5000 m |
| Built-in camera * | ✓ | Non-operating altitude | 5000 - 12192 m |
| Design | | Weight & dimensions | |
| Market positioning * | Business | Width (with stand) | 612.3 mm |
| Product colour * | Black, Silver | Depth (with stand) | 192.3 mm |
| Front bezel colour | Black | Height (with stand) | 567.8 mm |
| Detachable stand | ✓ | Weight (with stand) | 6.54 kg |
| Feet colour | Silver | Width (without stand) | 612.3 mm |
| Ports & interfaces | | Depth (without stand) | 60.1 mm |
| Built-in USB hub * | ✓ | Height (without stand) | 392.6 mm |
| USB upstream port type | USB Type-C, USB Type-B | Weight (without stand) | 4.96 kg |
| Number of USB Type-B upstream ports quantity | 1 | Bezel width (side) | 7.8 mm |
| Number of USB Type-C upstream ports quantity | 1 | Bezel width (top) | 7.8 mm |
| USB Type-A downstream ports quantity | 2 | Bezel width (bottom) | 1.7 cm |
| USB Type-C DisplayPort Alternate Mode | ✓ | Packaging data | |
| USB Power Delivery (USB PD) | ✓ | Package weight | 9.7 kg |
| USB Power Delivery up to | 90 W | Packaging content | |
| HDMI * | ✓ | Stand included | ✓ |
| HDMI ports quantity | 1 | Cables included | Power, DisplayPort, USB Type-A to USB Type-B, USB Type-C to USB Type-C |
| HDMI version | 2.1 | DisplayPort cable length | 1.8 m |
| DisplayPorts quantity | 1 | Sustainability | |
| DisplayPort out quantity | 1 | Sustainability certificates | ENERGY STAR, TCO |
| DisplayPort out version | 1.4 | Doesn't contain | PVC/BFR, Arsenic, Mercury |
| Headphone out * | ✗ | Other features | |
| HDCP | ✓ | Compliance certificates | RoHS |
| | | Certification | Teams, Zoom |



5397321029007



0884116692805



884116692805

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.