Epson TM-T88V-DT 180 x 180 DPI Wired Thermal POS printer

Brand : Epson **Product code:** C31CC74742

Product name: TM-T88V-DT

Intel Atom N2800, 1.86GHz, 4GB DDR3, 16GB SSD, 300 mm/s, 6xUSB 2.0, Fast Ethernet, 1xVGA, 1xDisplayPort, 1xRS-232, Windows Embedded POSReady 7, Black

Epson TM-T88V-DT. Print technology: Thermal, Type: POS printer, Maximum resolution: 180×180 DPI. Printing media thickness: 55 - $80 \mu m$, Supported paper width: 80 mm. Connectivity technology: Wired, USB connector: USB Type-A, Standard interfaces: Ethernet, USB 2.0, VGA. Ethernet LAN data rates: 10,100 Mbit/s. Internal memory: 16000 MB, Mean time between failures (MTBF): 360000 h, Autocutter durability: 2 million cuts





Printing		Features	
Maximum resolution Print speed Character size Print technology *	180 x 180 DPI 300 mm/sec 1.41 x 3.39 mm Thermal	RAM capacity Safety Certification	4 GB UL1950/CSA C22.2 No.950 RoHS
Type *	POS printer	Design	
Paper handling	·	Product colour *	Black
Printing media thickness Supported paper width	55 - 80 μm 80 mm	Power AC input voltage Power supply type	24 V AC
Ports & interfaces		System requirements	
USB port * USB 2.0 ports quantity USB connector Connectivity technology *	√ 6 USB Type-A Wired	Compatible operating systems	Windows Embedded POSReady 7, Windows 7 Pro, Linux
		Weight & dimensions	
Ethernet LAN (RJ-45) ports	1	Width	145 mm
Standard interfaces	Ethernet, USB 2.0, VGA	Depth	279 mm
Network		Height	183 mm
Ethernet LAN *	1	Packaging data	
Ethernet LAN data rates Wi-Fi *	10,100 Mbit/s	Cables included Bundled software	AC WebPOS Configuration, ePOS- Device, Preboot Execution
Features		Danial Carolina C	Environment (PXE)
Internal memory * Mean time between failures (MTBF) Autocutter durability Built-in processor	16000 MB 360000 h 2 million cuts Intel Atom N2800	Print technology	
		Column capacity	42/56
		Other features	
		Paper dimensions	58, 80
		Mean cycles between failures (MCBF)	70000000

