

Targus DOCK215USZ laptop dock/port replicator Thunderbolt 3 Grey

Brand : Targus

Product code: DOCK215USZ

Product name : DOCK215USZ

- Supports single 8K @30hz or dual 4K UHD @60hz monitor video
 - DisplayPort 1.4 ports
 - Power Delivery up to 85W
 - USB 3.2 Gen 2 Type-C ports (10 Gbps)
 - USB 3.2 Gen 1 Type-A ports (5 Gbps)
 - USB 3.2 Gen 2 Type-A fast charging port (10 Gbps) for the latest peripherals
 - Thunderbolt™ 3 upstream port with 0.8M passive 40Gbps 5A Thunderbolt 3 detachable cable (C/M to C/M)
 - Integrated lock slot accommodates standard security locks to safeguard equipment
 - Compatible with Targus VESA® Mounting Bracket (ACX003GLZ, sold separately)
 - Works with macOS® and Windows®
- 2 x DisplayPort, 3 x USB-A, 2 x USB-C, 3.5 mm, RJ45, Gray
- Targus DOCK215USZ. Host interface: Thunderbolt 3. Product colour: Grey, Cable lock slot type: Kensington, Hub interfaces: 3.5mm, DisplayPort, RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-A, USB.... Power supply: 85 W. Other operating systems supported: Android. Width: 204.7 mm, Depth: 76.2 mm, Height: 31.8 mm



Ports & interfaces		Software	
Host interface *	Thunderbolt 3	Windows operating systems supported	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Mac operating systems supported	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	1	Linux operating systems supported	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Other operating systems supported	Android
DisplayPorts quantity	2	Weight & dimensions	
DisplayPort version	1.4	Width	204.7 mm
Thunderbolt ports quantity	1	Depth	76.2 mm
Combo headphone/mic port	✓	Height	31.8 mm
DC-in jack	✓	Weight	317.5 g
Network		Packaging data	
Ethernet LAN (RJ-45) ports	1	Quantity per pack	1 pc(s)
Performance		Packaging content	
Cable lock slot type	Kensington	Quick start guide	✓
Product colour *	Grey	Packaging content	USB-C/M to USB-C/M cable, 0.8M, Passive, 40Gbps (part# ACC1128GLX) Adapter, AC to DC Output 20V 6.75A, 135W (part# 800-0497-001A) AC Power Cord, C5 connector, US plug 3P, 1.8M (part# 511-0518-001A)
Hub interfaces	3.5mm, DisplayPort, RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 2 (3.1 Gen 2) Type-A, USB Type-C		
Power			
Power supply	85 W		



0092636323431



092636323431

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-APR-2024. Prints or copies of Information are only valid on the printed Publication date