

## ASUS Prime AP-750G power supply unit 750 W 20+4 pin ATX ATX Black, White

**Brand :** ASUS

**Product family:** Prime

**Product code:** 90YE00U1-  
B0NA00

**Product name :** AP-750G



- Dual ball fan bearings that can last up to twice as long as sleeve bearing designs  
 - An 80 Plus gold certification is the result of low-ESR capacitors and other premium components  
 - ATX 3.0 compatible: ASUS Prime Gold is compliant with ATX 3.0 guidelines and bundled with a 16-pin PCIe cable that is compatible with PCIe Gen 5.0 graphics cards  
 Prime 750W Gold Netzteil ohne Originalverpackung (750 Watt, für Allround-PCs und Gaming-PCs, 80 PLUS Gold Zertifizierung, ATX 3.0 kompatibel, Lüfter mit Doppelkugellagern, schwarz / weiß)  
 ASUS Prime AP-750G. Total power: 750 W, AC input voltage: 100 - 240 V, Power Factor Correction (PFC) type: Active. Motherboard power connector: 20+4 pin ATX, Motherboard power cable length: 61 cm, SATA power cable length: 120,400 mm. Purpose: PC, Power supply unit (PSU) form factor: ATX, 80 PLUS certification: 80 PLUS Gold. Product colour: Black, White, Cooling type: Active. Cables included: AC, CPU, PCIe, Peripheral (Molex), SATA

Power		Ports & interfaces	
Total power *	750 W	CPU power connector (4+4 pin)	✓
AC input voltage *	100 - 240 V	CPU power cable length	65 cm
Power Factor Correction (PFC) type	Active	ATX power connector (20+4 pin)	✓
Combined power (+3.3V)	110 W	PCI Express connector	✓
Combined power (+12V)	744 W	Cabling type	Fully-Modular
Combined power (+5V)	110 W		
Combined power (-12V)	3.6 W		
Combined power (+5Vsb)	12.5 W		
Max output current (+3.3V)	20 A		
Max output current (+12V)	62 A		
Max output current (+5V)	20 A		
Max output current (-12V)	0.3 A		
Max output current (+5Vsb)	2.5 A		
Efficiency	92%		
Power protection features	Over power, Over voltage, Overcharge, Overheating, Short circuit, Under voltage		
Ports & interfaces		Performance	
Motherboard power connector *	20+4 pin ATX	80 PLUS certification *	80 PLUS Gold
Motherboard power cable length	61 cm	Purpose *	PC
Number of SATA power connectors	5	Power supply unit (PSU) form factor *	ATX
SATA power cable length	120,400 mm	ATX version	3.0
Peripheral (Molex) power connectors (4-pin) *	3	Bearing technology	Ball bearing
Peripheral (Molex) power cable length	150,400 mm	Mean time between failures (MTBF)	120000 h
PCI Express power connectors (8-pin)	3		
PCI Express power connectors (16-pin)	1		
		Design	
		Product colour	Black, White
		Cooling type	Active
		Illumination	✗
		On/off switch	✓
		Packaging content	
		Cables included	AC, CPU, PCIe, Peripheral (Molex), SATA
		Weight & dimensions	
		Width	150 mm
		Depth	150 mm
		Height	86 mm
		Weight	1.47 kg

Ports & interfaces		Packaging data	
CPU P4 connector (4-pin)	2	Package width	346 mm
		Package depth	208 mm
		Package height	144 mm
		Package weight	2.88 kg
		Package type	Box




4711387192962



0197105193031



197105193031



0197105192966



197105192966

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.