

GIGABYTE Z790 GAMING X AX Motherboard - Supports Intel Core 14th CPUs, 16+1+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 4xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN , USB 3.2 Gen 2x2



Brand : GIGABYTE

Product code: Z790 GAMING X AX

Product name : Z790 GAMING X AX Motherboard - Supports Intel Core 14th CPUs, 16+1+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 4xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN , USB 3.2 Gen 2x2

Z790 GAMING X AX Motherboard - Supports Intel Core 14th CPUs, 16+1+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 4xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN , USB 3.2 Gen 2x2

GIGABYTE Z790 GAMING X AX Motherboard - Supports Intel Core 14th CPUs, 16+1+2 Phases Digital VRM, up to 7600MHz DDR5 (OC), 4xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN , USB 3.2 Gen 2x2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge

Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	HDMI ports quantity *	1
Processor socket *	LGA 1700	HDMI version	2.0
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3,	DisplayPorts quantity	1
	Intel® Core™ i5, Intel® Core™ i7,	DisplayPort version	1.2
	Intel® Core™ i9, Intel® Pentium® Gold	Headphone outputs	2
Supported processor sockets	LGA 1700	Microphone in	✓
Maximum internal memory supported by processor	192 GB	S/PDIF out port	✓
		WiFi-AP antenna jack	2
		USB connector type	USB Type-A, USB Type-C
Memory		Network	
Supported memory types *	DDR5-SDRAM	Ethernet LAN	✓
Number of memory slots *	4	Ethernet interface type	2.5 Gigabit Ethernet
Memory slots type	DIMM	Wi-Fi *	✓
Memory channels	Dual-channel	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
ECC compatibility	ECC & Non-ECC	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Supported memory clock speeds	4000,4800,5200,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600 MHz	WLAN controller model	Intel Wi-Fi 6E AX211
Supported memory clock speed (max)	7600 MHz	Bluetooth	✓
Maximum internal memory *	192 GB	Bluetooth version	5.3
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB, 48GB	Features	
Unbuffered memory	✓	Motherboard chipset *	Intel Z790 Express
		Audio output channels *	7.1 channels
Storage controllers		Product colour	Black
Supported storage drive types	HDD & SSD	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Supported storage drive interfaces *	M.2, SATA III	Component for *	PC
Number of HDDs supported	6	Motherboard form factor *	ATX
Number of storage drives supported	10	Motherboard chipset family *	Intel
RAID support	✓		
RAID levels	0, 1, 5, 10		
Graphics			
Parallel processing technology support *	Crossfire		
Maximum resolution	4096 x 2304 pixels		
HDCP	✓		


Graphics		Features	
DirectX version	12.0	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Internal I/O		Expansion slots	
USB 2.0 connectors *	2	PCI Express x16 slots	3
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Number of M.2 (M) slots	4
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	BIOS	
Number of SATA III connectors *	6	BIOS type *	UEFI AMI
Total number of SATA connectors	6	BIOS memory size	256 Mbit
Front panel audio connector	✓	ACPI version	5.0
Front panel connector	✓	Clear CMOS jumper	✓
ATX Power connector (24-pin)	✓	Desktop Management Interface (DMI) version	2.7
CPU fan connector	✓	System Management BIOS (SMBIOS) version	2.7
EPS power connector (8-pin)	✓	Logistics data	
TPM connector	✓	Country of origin	China
Thunderbolt headers	2	Products per shipping (inner) case	1 pc(s)
12V power connector	✓	Battery	
RGB LED pin header	✓	Battery weight	3 g
Rear panel I/O ports		Lithium weight per battery	0.07 g
USB 2.0 ports quantity *	4	Number of battery cells	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2	Battery type	CR2032
USB 3.2 Gen 2x2 Type-C ports quantity	1	Packaging data	
Ethernet LAN (RJ-45) ports *	1	Package width	335 mm
		Package depth	270 mm
		Package height	80 mm
		Package weight	2.16 kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Technical details	
		Warranty period	3 year(s)



4719331850296



0889523034255



889523034255

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.