PHILIPS

Philips 43BDL3017P/00 Signage Display Digital signage flat panel 109.2 cm (43") IPS 700 cd/m² 4K Ultra HD Black

Product name: 43BDL3017P/00

- 43"
- UHD Panel
- 700 cd/m²

Signage Solutions P-Line Display, 43", 3840×2160 , 700 cd/m^2 , 16:9, 8 ms, speakers $2 \times 10 \text{ W RMS}$ Philips 43BDL3017P/00. Product design: Digital signage flat panel. Display diagonal: 109.2 cm (43"), Display technology: IPS, Display resolution: $3840 \times 2160 \text{ pixels}$, Display brightness: 700 cd/m^2 , HD type: 4K Ultra HD. Product colour: Black



Display		Design	
Panel type	IPS	VESA mounting *	✓
Display diagonal *	109.2 cm (43")	Panel mounting interface	400 x 400 mm
Display technology * IPS		Performance	
Display resolution *	3840 x 2160 pixels 700 cd/m ²	Purpose *	Healthcare
Display brightness *		On Screen Display (OSD)	✓
HD type * 4K Ultra HD Touchscreen * X Native aspect ratio 16:9 Response time 8 ms Contrast ratio (typical) 1200:1 Contrast ratio (dynamic) 500000:1	X 16:9 8 ms 1200:1 500000:1	On Screen Display (OSD) languages Mean time between failures (MTBF)	Arabic, Simplified Chinese, Traditional Chinese, Danish, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish 60000 h
Viewing angle, vertical	178° 1.07 billion colours	Power	
Display number of colours Pixel pitch Display diagonal (metric) Haze rate	0.2451 x 0.2451 mm 108 cm 25%	Power consumption (typical) * Power consumption (standby) * Energy efficiency class (SDR)	100 W 0.5 W G
Ports & interfaces		Energy consumption (SDR) per 1000 hours	95 kWh
HDMI ports quantity * 3 HDMI version 2.0 DVI port * ✓	2.0	AC input voltage AC input frequency Energy efficiency scale	100 - 240 V 50 - 60 Hz A to G
DVI-I ports quantity	1	Computer system	
DisplayPorts quantity * 2 ISB port * ✓ ISB ports quantity 1	1	Video formats supported Audio formats supported Image formats supported	H.264, M-JPEG, MPEG1, WMV3 AAC BMP, JPEG, PNG
USB version	2.0	Weight & dimensions	
nernet LAN * hernet LAN (RJ-45) ports 1 dio (L/R) in 1 dio (L/R) out 1 -232C	Width Depth Height Weight	973 mm 76.8 mm 561.2 mm 13.9 kg	
Remote (IR) input	1	Packaging content	
Remote (IR) output Card reader integrated Compatible memory cards	1 ✓ MicroSD (TransFlash)	Remote control included Batteries included Cables included	✓ ✓ AC, IR sensor, RS-232
Audio		Operational conditions	
Built-in speaker(s) * Number of built-in speakers RMS rated power	2 10 W	Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T)	0 - 40 °C 20 - 80% -20 - 60 °C
Design		Storage relative humidity (H-H)	5 - 95%
Product design *	Digital signage flat panel		

Design		Certificates	
Placement supported * Orientation	Indoor Horizontal/Vertical	Certification	CE CCC BSMI CB VCCI CECP EAC PSB EMF ETL FCC, Class A
Product colour *	Black	Logistics data	
		Harmonized System (HS) code	85285210





8712581774318

0685417571888



685417571888

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.