



Philips 50BDL3017P/00 Signage Display Digital signage flat panel

127 cm (50") 700 cd/m² 4K Ultra HD Black



Brand : Philips

Product code: 50BDL3017P/00

Product name : 50BDL3017P/00

- 50"
- UHD Panel
- 700 cd/m²
Signage Solutions P-Line Display, 50", 3840 x 2160, 700 cd/m², 16:9, 8 ms, speakers 2 x 10 W RMS
Philips 50BDL3017P/00. Product design: Digital signage flat panel. Display diagonal: 127 cm (50"),
Display resolution: 3840 x 2160 pixels, Display brightness: 700 cd/m², HD type: 4K Ultra HD. Product
colour: Black

Display		Performance	
Panel type	VA	Purpose *	Healthcare
Display diagonal *	127 cm (50")	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Danish, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish
Display resolution *	3840 x 2160 pixels		
Display brightness *	700 cd/m²		
HD type *	4K Ultra HD	Mean time between failures (MTBF)	60000 h
Touchscreen *	✗	Power	
Native aspect ratio	16:9	Power consumption (typical) *	110 W
Response time	8 ms	Power consumption (standby) *	0.5 W
Contrast ratio (typical)	4000:1	Energy efficiency class (SDR)	G
Contrast ratio (dynamic)	500000:1	Energy consumption (SDR) per 1000 hours	124 kWh
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50 - 60 Hz
Pixel pitch	0.2854 x 0.2854 mm	Energy efficiency scale	A to G
Display diagonal (metric)	125.7 cm	Computer system	
Haze rate	25%	Video formats supported	H.264, M-JPEG, MPEG1, WMV3
Ports & interfaces		Audio formats supported	AAC
HDMI ports quantity *	3	Image formats supported	BMP, JPEG, PNG
HDMI version	2.0	Weight & dimensions	
DVI port *	✓	Width	1128.4 mm
DVI-I ports quantity	1	Depth	76.8 mm
DisplayPorts quantity *	2	Height	649 mm
USB port *	✓	Weight	17.3 kg
USB ports quantity	1	Packaging content	
USB version	2.0	Remote control included	✓
Ethernet LAN (RJ-45) ports	1	Batteries included	✓
Audio (L/R) in	1	Cables included	AC, RS-232
Audio (L/R) out	1	Operational conditions	
RS-232C	✓	Operating temperature (T-T)	0 - 40 °C
Remote (IR) input	1	Operating relative humidity (H-H)	20 - 80%
Remote (IR) output	1	Storage temperature (T-T)	-20 - 60 °C
Card reader integrated	✓	Storage relative humidity (H-H)	5 - 95%
Compatible memory cards	MicroSD (TransFlash)	Certificates	
Audio		Certification	CE CCC BSMI CB VCCI CECP EAC PSB EMF ETL FCC, Class A
Built-in speaker(s) *	✓	Logistics data	
Number of built-in speakers	2	Harmonized System (HS) code	85285210
RMS rated power	10 W		
Design			
Product design *	Digital signage flat panel		
Placement supported *	Indoor		
Orientation	Horizontal/Vertical		
Product colour *	Black		

Design		Network	
VESA mounting *	✓	Ethernet LAN *	✓
Panel mounting interface	400 x 400 mm		



8712581774363



0685417572083



685417572083

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.