PHILIPS

Philips 50BDL3017P/00 Signage Display Digital signage flat panel 127 cm (50") 700 cd/m 2 4K Ultra HD Black

Product name: 50BDL3017P/00

- 50"

- UHD Panel

- 700 cd/m²

Signage Solutions P-Line Display, 50", 3840×2160 , 700 cd/m^2 , 16:9, 8 ms, speakers $2 \times 10 \text{ W RMS}$ Philips 50BDL3017P/00. Product design: Digital signage flat panel. Display diagonal: 127 cm (50"), Display resolution: $3840 \times 2160 \text{ pixels}$, Display brightness: 700 cd/m^2 , HD type: 4 K Ultra HD. Product colour: Black



Display		Design	
Panel type	VA	VESA mounting *	✓
Display diagonal *	127 cm (50")	Panel mounting interface	400 x 400 mm
Display resolution *	3840 x 2160 pixels	Performance	
Display brightness *	700 cd/m² 4K Ultra HD	Purpose *	Healthcare
HD type * Touchscreen * Native aspect ratio Response time Contrast ratio (typical) Contrast ratio (dynamic)	** 16:9 8 ms 4000:1 500000:1	On Screen Display (OSD) languages Mean time between failures (MTBF)	Arabic, Simplified Chinese, Traditional Chinese, Danish, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish 60000 h
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Power consumption (typical) *	110 W
Pixel pitch	0.2854 x 0.2854 mm	Power consumption (typical) *	0.5 W
Display diagonal (metric) Haze rate	125.7 cm 25%	Energy efficiency class (SDR)	G
Ports & interfaces	23 /0	Energy consumption (SDR) per 1000 hours	124 kWh
HDMI ports quantity *	3	AC input voltage	100 - 240 V
HDMI version	2.0	AC input frequency	50 - 60 Hz
DVI port *	✓	Energy efficiency scale	A to G
DVI-I ports quantity	1	Computer system	
DisplayPorts quantity *	2	Video formats supported	H.264, M-JPEG, MPEG1, WMV3
USB port *	✓	Audio formats supported	AAC
USB ports quantity	1	Image formats supported	BMP, JPEG, PNG
USB version	2.0	Weight & dimensions	
Ethernet LAN (BL 45) ports	1	Width	1128.4 mm
Ethernet LAN (RJ-45) ports Audio (L/R) in	1	Depth	76.8 mm
Audio (L/R) out	1	Height	649 mm
RS-232C	_	Weight	17.3 kg
Remote (IR) input	1	Packaging content	
Remote (IR) output	1	Remote control included	✓
Card reader integrated	✓	Batteries included	✓
Compatible memory cards	MicroSD (TransFlash)	Cables included	AC, RS-232
Audio		Operational conditions	
Built-in speaker(s) *	✓	Operating temperature (T-T)	0 - 40 °C
Number of built-in speakers	2	Operating relative humidity (H-H)	20 - 80%
RMS rated power	10 W	Storage temperature (T-T)	-20 - 60 °C
Design		Storage relative humidity (H-H)	5 - 95%
Product design * Placement supported *	Digital signage flat panel Indoor		

Design		Certificates	
Orientation Product colour *	Horizontal/Vertical Black	Certification	CE CCC BSMI CB VCCI CECP EAC PSB EMF ETL FCC, Class A
		Logistics data	
		Harmonized System (HS) code	85285210





8712581774363

0685417572083



685417572083

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.