StarTech.com USB 3.0 AC1200 Dual Band Wireless-AC Network Adapter - 802.11ac WiFi Adapter

Brand : StarTech.com

Product code: USB867WAC22

Product name : USB 3.0 AC1200 Dual Band Wireless-AC Network Adapter - 802.11ac WiFi Adapter

StarTech.com USB 3.0 AC1200 Dual Band Wireless-AC Network Adapter - 802.11ac WiFi Adapter - 2.4GHz / 5GHz USB Wireless - AC Network Card
StarTech.com USB 3.0 AC1200 Dual Band Wireless-AC Network Adapter - 802.11ac WiFi Adapter.
Connectivity technology: Wireless, Host interface: USB, Interface: WLAN. Maximum data transfer rate: 867 Mbit/s, Top Wi-Fi standard: Wi-Fi 5 (802.11ac), Wi-Fi band: Dual-band (2.4 GHz / 5 GHz). Product colour: Black

Ports & interfaces

Connectivity technology *	Wireless
Host interface *	USB
Interface *	WLAN

Network

Maximum data transfer rate *	867 Mbit/s
Networking standards *	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Wi-Fi	✔
Wi-Fi band	Dual-band (2.4 GHz / 5 GHz)
Frequency range	2.4 - 5 GHz
Top Wi-Fi standard	Wi-Fi 5 (802.11ac)
Wi-Fi standards	802.11a, Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Modulation	16-QAM, 64-QAM, 256-QAM, BPSK, CCK, DBPSK, DQPSK, DSSS, OFDM, QPSK
Security algorithms	AES, TKIP, WEP, WPA, WPA2
Full duplex	✔
Quality of Service (QoS) support	✔

Design

Product colour	Black
Internal *	✘
Chipset	Realtek - RTL8812AU
WPS push button	✔

Operational conditions

Operating temperature (T-T)	0 - 60 °C
Storage temperature (T-T)	0 - 70 °C
Operating relative humidity (H-H)	10 - 90%

Sustainability

Sustainability compliance	✔

Weight & dimensions

Width	29 mm
Depth	80 mm
Height	10 mm
Weight	16 g

Packaging data

Drivers included	✔
Quantity per pack	1 pc(s)
Package width	138 mm
Package depth	171 mm
Package height	32 mm
Package weight	108 g

Packaging content

Manual	✔

Technical details

Compliance certificates	CE, RoHS

Logistics data

|	
Harmonized System (HS) code	85176990
Master (outer) case width	372 mm
Master (outer) case length	722 mm
Master (outer) case height	363 mm

System requirements

|	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Linux operating systems supported	✔
Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2016, Windows Server 2019, Windows Server 2022

Logistics data

Products per master (outer) case	100 pc(s)

Other features

Housing material	Plastic

0065030856157

065030856157

0650308561576

650308561576

Catalog Object Cloud