

GIGABYTE B860 DS3H WIFI6E Motherboard - Intel Core Ultra Series CPUs, 8+1+2+2 Phases VRM, up to 9066MHz DDR5, 1xPCIe 5.0 + 1xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2x2

Brand : GIGABYTE

Product code: B860 DS3H WIFI6E


Product name : B860 DS3H WIFI6E Motherboard - Intel Core Ultra Series CPUs, 8+1+2+2 Phases VRM, up to 9066MHz DDR5, 1xPCIe 5.0 + 1xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2x2

- Hybrid 8+1+2+2 Phases 50A PPAK VRM
- Dual Channel DDR5 4 DIMMs
- PCIe 5.0 x16 with PCIe UD Slot & EZ-Latch
- M.2 Gen5 (Up to 25110) with EZ-Latch Plus
- MOSFET Heatsinks/M.2 Thermal Guard
- Realtek 2x2 Wi-Fi 6E with WIFI EZ-Plug
- 2.5GbE LAN, USB 3.2 Gen2x2 Type-C
- Q-Flash Plus

B860 DS3H WIFI6E Motherboard - Intel Core Ultra Series CPUs, 8+1+2+2 Phases VRM, up to 9066MHz DDR5, 1xPCIe 5.0 + 1xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2x2

GIGABYTE B860 DS3H WIFI6E Motherboard - Intel Core Ultra Series CPUs, 8+1+2+2 Phases VRM, up to 9066MHz DDR5, 1xPCIe 5.0 + 1xPCIe 4.0 M.2, 2.5GbE LAN, WIFI 6E, USB 3.2 Gen 2x2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	WiFi-AP antenna jack	2
Processor socket *	LGA 1851 (Socket V1)	Network	
Compatible processor series *	Intel Core Ultra (Series 2)	Ethernet LAN	✓
Supported processor sockets	LGA 1851	Ethernet interface type	2.5 Gigabit Ethernet
Memory		LAN controller	Realtek RTL8125
Supported memory types *	DDR5-SDRAM	Wi-Fi *	✓
Number of memory slots *	4	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Memory slots type	DIMM	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Memory channels	Dual-channel	WLAN controller model	Intel Wi-Fi 6E AX211
ECC compatibility	ECC & Non-ECC	Bluetooth	✓
Supported memory clock speeds	9066,8800,8600,8400,8266,8200,8000,7950,7900,7800,7600,7400,7200,7000,6800,6600,6400,5600 MHz	Bluetooth version	5.3
Supported memory clock speed (max)	9066 MHz	Features	
Maximum internal memory *	256 GB	Motherboard chipset *	Intel B860
Unbuffered memory	✓	Audio chip	Realtek ALC897
Maximum internal memory per slot	64 GB	Audio output channels *	7.1 channels
Storage controllers		Product colour	Dark brown
Supported storage drive types	HDD & SSD	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Supported storage drive interfaces *	M.2, SATA III	Component for *	PC
Number of HDDs supported	4	Motherboard form factor *	ATX
Number of storage drives supported	6	Motherboard chipset family *	Intel
RAID support	✓	Cooling type	Passive
RAID levels	0, 1, 5, 10	Power source type	ATX
Graphics		Windows operating systems supported	Windows 10 x64, Windows 11 x64
Parallel processing technology support *	Not supported	Expansion slots	
Maximum resolution	4096 x 2160 pixels	PCI Express x16 (Gen 4.x) slots	4
HDCP	✓	PCI Express x16 (Gen 5.x) slots	1
DirectX version	12.0		
Internal I/O			
USB 2.0 connectors *	2		
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2		
Number of SATA III connectors *	4		

Internal I/O		Expansion slots	
S/PDIF out connector	✓	Number of M.2 (M) slots	2
Front panel audio connector	✓	1st M.2 largest key size	25110
Front panel connector	✓	1st M.2 highest PCI Express generation	5.0
ATX Power connector (24-pin)	✓	2nd M.2 largest key size	25110
CPU fan connector	✓	2nd M.2 highest PCI Express generation	4.0
Number of CPU fan connectors	2	BIOS	
Number of chassis fan connectors	4	BIOS type *	UEFI AMI
EPS power connector (8-pin)	✓	BIOS memory size	256 Mbit
Number of EPS power connectors (8-pin)	1	ACPI version	5.0
TPM connector	✓	Clear CMOS jumper	✓
Serial port headers	1	Desktop Management Interface (DMI) version	2.7
Number of water pump connectors	3	System Management BIOS (SMBIOS) version	2.7
RGB LED pin header	✓	Logistics data	
Number of RGB LED pin headers	4	Country of origin	China
Rear panel I/O ports		Products per shipping (inner) case	1 pc(s)
USB 2.0 ports quantity *	4	Battery	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Battery weight	3 g
USB 3.2 Gen 2x2 Type-C ports quantity	1	Lithium weight per battery	0.07 g
Ethernet LAN (RJ-45) ports *	1	Number of battery cells	1
PS/2 ports quantity	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
HDMI ports quantity *	1	Battery type	CR2032
HDMI version	2.1	Packaging data	
DisplayPorts quantity	1	Package width	335 mm
DisplayPort version	2.1	Package depth	270 mm
Headphone outputs	1	Package height	80 mm
Line-in	✓	Weight & dimensions	
Microphone in	✓	Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	2 kg
		Technical details	
		Warranty period	3 year(s)



4719331867515

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.