



## HP Jetdirect 2700w USB Wireless Print Server

**Brand :** HP

**Product family:** Jetdirect

**Product code:** J8026A

**Product name :** Jetdirect  
2700w USB Wireless Print Server

### Jetdirect 2700w USB Wireless Print Server

HP Jetdirect 2700w USB Wireless Print Server. Product colour: Black, Country of origin: China, HP segment: Enterprise, Business. Network connection type: Wireless LAN, Networking standards: IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, Security algorithms: SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, HTTPS, LEAP. Supported network protocols: IPv4/IPv6: SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, 9100, LPD, IPP, Secure-IPP, WS Discovery, WS.... Power consumption (typical): 1.8 W. Windows operating systems supported: Windows XP, Windows Vista x64, Windows Vista, Windows 7, Windows 8, Windows 10, Windows 11, Mac operating systems supported: Mac OS X 10.2 Jaguar, MacOS, Other operating systems supported: IBM iSeries, Novell NetWare 5.x, Yes



Features		Packaging data	
Internal *	✗	Package width	153 mm
Product colour	Black	Package depth	223 mm
Built-in display	✗	Package height	57 mm
IPP support	✓	Package weight	190 g
Firmware upgradeable	✓	Operational conditions	
Country of origin	China	Operating temperature (T-T)	0 - 50 °C
HP segment	Enterprise, Business	Operating relative humidity (H-H)	15 - 95%
Network		Storage temperature (T-T)	-40 - 70 °C
Network connection type *	Wireless LAN	Technical details	
Networking standards *	IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Master (outer) case gross weight (imperial)	5.3 kg (11.7 lbs)
Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, HTTPS, LEAP	Master (outer) cases per pallet layer	12 pc(s)
Protocols		General Product Safety Regulation (GPSR) URL	<a href="https://support.hp.com/igb-en/product/setup-user-guides/hp-jetdirect-2700w-usb-wireless-print-server/5154045">https://support.hp.com/igb-en/product/setup-user-guides/hp-jetdirect-2700w-usb-wireless-print-server/5154045</a> ; <a href="https://kaas.hpcloud.hp.com/pdf-public/pdf_4392113_en-US-1.pdf">https://kaas.hpcloud.hp.com/pdf-public/pdf_4392113_en-US-1.pdf</a>
Supported network protocols *	IPv4/IPv6: SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, 9100, LPD, IPP, Secure-IPP, WS Discovery, WS Print, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP	Logistics data	
Ports & interfaces		Layers per pallet	3 pc(s)
USB 2.0 ports quantity *	1	Products per master (outer) case	20 pc(s)
Power		Other features	
Power consumption (typical)	1.8 W	Recommended operating temperature range (T-T)	0 - 50 °C
		Products per pallet	720 pc(s)
		UNSPSC-code	43201537

Software		Other features	
Windows operating systems supported	Windows XP, Windows Vista x64, Windows Vista, Windows 7, Windows 8, Windows 10, Windows 11	Compatible operating systems	Microsoft Windows 7; Windows Vista, Vista 64-bit, Windows XP, XP 64-bit, Windows Server 2008, 2008 64-bit, 2003, 2003 64-bit; Mac OS X v10.2, v10.3, v10.4 or higher, Novell 5.1 or higher, Red Hat Linux 7.x or higher, SUSE Linux 8.x or higher, HP-UX 10.20, 11.x, 11.i, Solaris 2.5 or higher (SPARC systems only), IBM AIX 3.2.5 or higher 1, MPE-iX, Citrix Presentation Server, Windows Terminal Services
Mac operating systems supported	Mac OS X 10.2 Jaguar, MacOS		
Linux operating systems supported	✓		
Other operating systems supported	IBM iSeries, Novell NetWare 5.x, Yes		
Server operating systems supported	Windows Server 2003 x64, Windows Server 2003, Windows Server 2008 x64, Windows Server 2008		
Certificates		Supports EPP and ECP	✗
Certification	FCC CFR 47 Part 15 Class-B/ ICES-003 Issue 4: 2004, EN 301 489-17, EN55022, EN 55024, EN 61000-3-2, EN 61000-3-3	Recommended humidity operating range	15 - 95%
Weight & dimensions		Pallet dimensions (W x D x H) (imperial)	1016 x 1219.2 x 1524 mm (40 x 48 x 60")
		Pallet weight (imperial)	110.7 kg (244 lbs)
Width	57 mm		
Depth	130 mm		
Height	37 mm		
Weight	51 g		



0886111783212



886111783212



0198990482736



198990482736

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.