



Viewsonic VX Series VX2718-PC-MHD LED display 68.6 cm (27") 1920 x 1080 pixels Full HD Black

Brand : Viewsonic

Product family: VX Series

Product code: VX2718-PC-MHD

Product name : VX2718-PC-MHD


- 1500R curved screen for a perfect balance of immersion and comfort
- 165Hz refresh rate delivers fluid, tear-free visuals
- Rapid 1ms (MPRT) response time for crisp movements
- AMD FreeSync™ Premium prevents screen tearing
- Flexible connectivity with dual HDMI and DisplayPort inputs
- FHD 1080p resolution

27", VA, FHD, 16:9, 16.7M, 250 nits, 4000:1, 1ms, 178/178, 2W x2, VESA, 100-240VAC, 3.9 kg
Viewsonic VX Series VX2718-PC-MHD. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). VESA mounting.
Product colour: Black



Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	Headphone outputs	1
Display resolution *	1920 x 1080 pixels	Headphone connectivity	3.5 mm
HD type *	Full HD	AC (power) in	✓
Native aspect ratio *	16:9	Ergonomics	
Display technology *	LED	VESA mounting *	✓
Panel type *	VA	Panel mounting interface	75 x 75 mm
Touchscreen *	✗	Cable lock slot *	✓
Display brightness (typical)	250 cd/m²	Cable lock slot type	Kensington
Response time	1 ms	Height adjustment *	✗
Anti-glare screen	✓	Tilt adjustment	✓
Screen shape *	Curved	Tilt angle range	-5 - 20°
Screen curvature rating	1500R	Power	
Contrast ratio (typical) *	4000:1	Energy efficiency class (SDR) *	F
Contrast ratio (dynamic)	80000000:1	Energy consumption (SDR) per 1000 hours *	26 kWh
Maximum refresh rate *	165 Hz	Power consumption (typical) *	26 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.5 W
Viewing angle, vertical	178°	Power consumption (max)	27 W
Display number of colours *	16.7 million colours	AC input voltage	100 - 240 V
Pixel pitch	0.311 x 0.311 mm	AC input frequency	50 - 60 Hz
Horizontal scan range	30 - 193 kHz	Operational conditions	
Vertical scan range	48 - 165 Hz	Operating temperature (T-T)	0 - 40 °C
Viewable size, horizontal	59.8 cm	Storage temperature (T-T)	-20 - 60 °C
Viewable size, vertical	33.6 cm	Operating relative humidity (H-H)	20 - 90%
Display diagonal (metric)	68.6 cm	Storage relative humidity (H-H)	5 - 90%
Colour depth	8 bit	Operating altitude	0 - 5000 m
sRGB coverage (typical)	102%	Non-operating altitude	0 - 12100 m
NTSC coverage (typical)	72%		
Performance			
NVIDIA G-SYNC *	✗		

Performance		Packaging content	
AMD FreeSync *	✗	Stand included	✓
Flicker-free technology	✓	Cables included	AC, DisplayPort
Low Blue Light technology	✓	Quick start guide	✓
Multimedia		HDMI cable length	1.5 m
Built-in speaker(s) *	✓	Weight & dimensions	
Built-in camera *	✗	Width (with stand)	611 mm
Number of speakers	2	Depth (with stand)	225 mm
RMS rated power	4 W	Height (with stand)	475 mm
Design		Weight (with stand)	3.9 kg
Market positioning *	Gaming	Width (without stand)	611 mm
Product colour *	Black	Depth (without stand)	75 mm
Feet colour	Black	Height (without stand)	363 mm
Certification	cTUVus, FCC-B, ICES003, CEC, NOM, Mexico Energy, CE, CE EMC, CB, RoHS, ErP, REACH, WEEE, BSMI, RCM	Weight (without stand)	3.3 kg
Ports & interfaces		Packaging data	
Built-in USB hub *	✗	Package width	687 mm
DVI port	✗	Package depth	156 mm
HDMI *	✓	Package height	443 mm
HDMI ports quantity	2	Package weight	5.5 kg
HDMI version	1.4	Sustainability	
DisplayPorts quantity	1	Sustainability certificates	CE, ErP, REACH, RoHS
Audio input	✗	European Product Registry for Energy Labelling (EPREL) code	403343
Audio output	✓	Logistics data	
Headphone out *	✓	Harmonized System (HS) code	85285210



0766907007299



766907007299

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-MAY-2024. Prints or copies of Information are only valid on the printed Publication date