

ASUS ROG -LOKI-850P-SFX-L-GAMING power supply unit 850 W 20+4 pin ATX Black, Grey



Brand : ASUS

Product family: ROG

Product code: 90YE00N3-BTAA00

Product name : ROG-LOKI-850P-SFX-L-GAMING

ROG LOKI SFX-L 850W Platinum

ASUS ROG -LOKI-850P-SFX-L-GAMING power supply unit 850 W 20+4 pin ATX Black, Grey:

ROG Loki 850W Platinum

The Quietest SFX-L PSU

Taking after the ROG Thor, the ROG Loki SFX-L 850W Platinum brandishes the same enthusiast-grade components and features, all packed into an SFX-L form factor. Boasting quiet operation and high performance, the Loki is primed to power your next SFF build.

ROG Heatsinks

Cool under pressure

ROG heatsinks facilitate lower temperatures, longer component lifespan, and extended 0dB operation. ASUS ROG -LOKI-850P-SFX-L-GAMING. Total power: 850 W, AC input voltage: 100 - 240 V, Power Factor Correction (PFC) type: Active. Motherboard power connector: 20+4 pin ATX, Motherboard power cable length: 45 cm, SATA power cable length: 100,200,300 mm. Purpose: PC, Power supply unit (PSU) form factor: SFX-L, 80 PLUS certification: 80 PLUS Platinum. Product colour: Black, Grey, Cooling type: Semi-passive, Fan diameter: 12 cm. Cables included: CPU, PCIe, SATA, Peripheral (Molex)



Power		Ports & interfaces	
Total power *	850 W	PCI Express power cable length	45 cm
AC input voltage *	100 - 240 V	CPU power connector (4+4 pin)	✓
Power Factor Correction (PFC) type	Active	CPU power cable length	55 cm
Combined power (+3.3V)	110 W	Cabling type	Fully-Modular
Combined power (+12V)	850 W	Performance	
Combined power (+5V)	110 W	80 PLUS certification *	80 PLUS Platinum
Combined power (-12V)	9.6 W	Purpose *	PC
Combined power (+5Vsb)	12.5 W	Power supply unit (PSU) form factor *	SFX-L
Max output current (+3.3V)	20 A	ATX version	3.0
Max output current (+12V)	70.8 A	Silent mode	✓
Max output current (+5V)	20 A	Mean time between failures (MTBF)	120000 h
Max output current (-12V)	0.8 A	Design	
Max output current (+5Vsb)	2.5 A	Product colour	Black, Grey
Power protection features	Over current, Over power, Over voltage, Overheating, Short circuit, Under voltage	Cooling type	Semi-passive
Ports & interfaces		Fan diameter	12 cm
Motherboard power connector *	20+4 pin ATX	Number of fans	1 fan(s)
Motherboard power cable length	45 cm	Fan location	Top
Number of SATA power connectors	6	Illumination	✓
SATA power cable length	100,200,300 mm	Packaging content	
Peripheral (Molex) power connectors (4-pin) *	4	Cables included	CPU, PCIe, SATA, Peripheral (Molex)
Peripheral (Molex) power cable length	100,300 mm	Weight & dimensions	
PCI Express power connectors (8-pin)	3	Width	125 mm
PCI Express power connectors (16-pin)	1	Depth	125 mm
		Height	63.5 mm
		Weight	1.81 kg
Packaging data		Package type	Box

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.