

# KYOCERA ECOSYS PA2101CWX laser printer Colour 1200 x 1200 DPI A4 Wi-Fi

**Brand :** KYOCERA

**Product family:** ECOSYS

**Product code:** PA2101CWX

**Product name :** PA2101CWX

- Print speed up to 21 ppm b&w and 21 ppm colour
  - 2.7 inch touch screen for easy operation
  - Enterprise grade information security to protect against threats
  - Optional additional paper feeder for a total of 550 sheets
  - Standard wireless and Wi-Fi Direct
- ECOSYS PA2101cwX



## KYOCERA ECOSYS PA2101CWX laser printer Colour 1200 x 1200 DPI A4 Wi-Fi:

Compact and reliable, the ECOSYS PA2101cwX is a high-quality, economical colour A4 printer designed to fit perfectly on your desk and deliver consistent performance.  
KYOCERA ECOSYS PA2101CWX. Print technology: Laser, Colour. Maximum duty cycle: 100000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 21 ppm, Duplex printing. Display: LCD. Wi-Fi. Product colour: Black, White



Printing		Network	
Duplex printing mode	Auto	Ethernet LAN data rates	10,100,1000 Mbit/s
Print resolution colour	1200 x 1200 DPI	Wi-Fi standards	802.11a
Print resolution black	1200 x 1200 DPI	Mobile printing technologies	Apple AirPrint, Kyocera Mobile Print, Mopria Print Service
Print speed (colour, normal quality, A4/US Letter)	21 ppm	Performance	
Print speed (white, normal quality, A4/US Letter)	21 ppm	Internal memory *	1000 MB
Colour *	✓	Maximum internal memory	1000 MB
Print technology *	Laser	Card reader integrated	✓
Duplex printing *	✓	Compatible memory cards	SD, SDHC
Maximum resolution *	1200 x 1200 DPI	Built-in processor	✓
Print speed (black, normal quality, A4/US Letter) *	21 ppm	Sound pressure level (printing)	48 dB
Duplex print speed (black, normal quality, A4/US Letter)	11 ppm	Sound pressure level (quiet mode)	44 dB
Warm-up time	32 s	Sound power level (standby)	30 dB
Time to first page (black, normal)	11 s	Design	
Time to first page (colour, normal)	12.5 s	Market positioning *	Home & office
Features		Product colour *	Black, White
Maximum duty cycle *	100000 pages per month	Built-in display *	✓
Printing colours *	Black, Cyan, Magenta, Yellow	Display	LCD
Page description languages *	PCL 6, PostScript 3	Colour display	✓
Replacement cartridges	TK-5480K TK-5480Y TK-5480M TK-5480C TK-5490K TK-5490Y TK-5490M TK-5490C	Display diagonal	6.86 cm (2.7")
Input & output capacity		Control type	Touch
Total number of input trays *	2	Power	
		Power consumption (printing) *	345 W
		Power consumption (ready)	33 W
		Power consumption (PowerSave)	0.3 W

Input & output capacity		Power	
Total input capacity *	250 sheets	Energy Star Typical Electricity Consumption (TEC)	0.2 kWh/week
Total output capacity *	150 sheets	AC input voltage	220 - 240 V
Paper tray 1 input capacity	50 sheets	AC input frequency	50/60 Hz
Multi-Purpose tray	✓	System requirements	
Multi-Purpose tray input capacity	50 sheets	Windows operating systems supported	✓
Maximum number of input trays	3	Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Maximum input capacity	550 sheets		
Maximum output capacity	150 sheets		
Paper handling			
Maximum ISO A-series paper size *	A4		
Paper tray media types *	Plain paper, Pre-printed, Thicker paper, Thin paper		
ISO A-series sizes (A0...A9) *	A4, A5, A6		
ISO B-series sizes (B0...B9)	B5, B6		
Paper tray media weight	60 - 163 g/m²	Weight & dimensions	
Ports & interfaces		Width	410 mm
Direct printing *	✓	Depth	410 mm
USB port *	✓	Height	329 mm
USB 2.0 ports quantity	1	Weight	22 kg
Network		Packaging data	
Wi-Fi *	✓	Package width	596 mm
Ethernet LAN *	✓	Package depth	571 mm
Cabling technology	10/100/1000Base-T(X)	Package height	459 mm
		Package weight	28 kg
		Packaging content	
		Cartridge(s) included	✓
		Included cartridge capacity (black)	1500 pages
		Included cartridge capacity (CMY)	1500 pages
		Cables included	AC
		Quick installation guide	✓

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.