SAMSUNG

Samsung LH24OHBEBGBXZA Signage Display Digital signage flat panel 61 cm (24") Wi-Fi 1500 cd/m² Full HD Black Tizen 6.5 24/7

Brand : Samsung   **Product code:** LH24OHBEBGBXZA

Product name : LH24OHBEBGBXZA

- Samsung's OH24B outdoor signage features optimized picture quality for new business opportunities, such as enabling impressive promotions that captivate viewers on the spot
- The OH24B is protected from the elements with an IP66 rating, enhancing the dust-proof level compared to IP56
24" 1920x1080 IPS, 1500 nits, USB, HDMI, RS232, 573.0 x 342.4 x 59.8 mm
Samsung LH24OHBEBGBXZA. Product design: Digital signage flat panel. Display diagonal: 61 cm (24"), Display resolution: 1920 x 1080 pixels, Display brightness: 1500 cd/m², HD type: Full HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: Tizen 6.5. Product colour: Black

Display

Panel type	IPS
Display diagonal *	61 cm (24")
Display resolution *	1920 x 1080 pixels
Display brightness *	1500 cd/m²
HD type *	Full HD
Touchscreen *	✗
Response time	14 ms
Contrast ratio (typical)	1000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.2745 x 0.2745 mm
Haze rate	25%
RGB colour space	NTSC

Ports & interfaces

HDMI ports quantity *	1
HDMI version	2.0a
HDMI input ports quantity	1
USB port *	✔
USB ports quantity	2
Ethernet LAN (RJ-45) ports	1
Audio (L/R) out	1
RS-232 interface	✔

Design

Product design *	Digital signage flat panel
Placement supported *	Indoor/outdoor
Orientation	Horizontal
Product colour *	Black
VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Bezel width (bottom)	2.19 cm

Design

Bezel width (side)	2.19 cm
Bezel width (top)	2.19 cm

Performance

Purpose *	Commercial
Operating hours (hours/days)	24/7
HDCP	✔
HDCP version	2.2

Power

Power consumption (typical) *	90 W
Power consumption (standby) *	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

Computer system

Operating system installed	Tizen 6.5

Weight & dimensions

Display width	573 mm
Display depth	59.8 mm
Display height	342.4 mm
Display weight	8.4 kg

Packaging data

Package width	730 mm
Package depth	140 mm
Package height	438 mm
Package weight	10 kg

Operational conditions

Operating temperature (T-T)	-30 - 50 °C
Operating relative humidity (H-H)	10 - 80%

Network

Ethernet LAN *	✔
Wi-Fi *	✔

Catalog Object Cloud