DELL Pro P 27 P2726H computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

Brand : DELL   **Product family:** Pro P   **Product code:** DELL-P2726H

Product name : Pro P 27 P2726H

- 27" LCD IPS
- Full HD, 16:9, 1920 x 1080
- 120Hz, 5ms, 300cd/m²
- USB Hub
27", 1920 x 1080 Edge LED IPS, 120Hz, 16:9, 300cd/m², 5ms, 178°/178°

DELL Pro P 27 P2726H computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black:

Equipped for seamless productivity, this 27-inch FHD monitor offers extensive connectivity, high refresh rate and TÜV-certified 4-star eye comfort.
DELL Pro P 27 P2726H. Display diagonal: 68.6 cm (27"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black

Display

Display diagonal *	68.6 cm (27")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	IPS
LED backlight	✔
Backlight type	Edge LED
Touchscreen *	✘
Display brightness (typical)	300 cd/m²
Response time *	8 ms
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	✔
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 720 (HD 720), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080)
Supported video modes	1080p, 720p, 576p, 480p
Contrast ratio (typical) *	1500:1
Maximum refresh rate *	120 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Response time (fast)	5 ms
Pixel pitch	0.3114 x 0.3114 mm
Pixel density	82 ppi
Horizontal scan range	30 - 135 kHz
Vertical scan range	48 - 120 Hz
Viewable size, horizontal	59.8 cm
Viewable size, vertical	33.6 cm

Ergonomics

Panel mounting interface	100 x 100 mm
Cable management	✔
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✔
Adjustable height (max)	15 cm
Pivot	✔
Pivot angle	-90 - 90°
Swivelling	✔
Swivel angle range	-45 - 45°
Tilt adjustment	✔
Tilt angle range	-5 - 21°
On Screen Display (OSD)	✔
Plug and Play	✔
LED indicators	✔

Power

Energy efficiency class (SDR) *	C
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	14 kWh
Power consumption (typical) *	13.5 W
Power consumption (standby) *	0.5 W
Power consumption (max)	74 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	0 - 40 °C

Display

Viewable size diagonal	68.6 cm
Surface hardness	3H
sRGB coverage (typical)	99%

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
Flicker-free technology	✔

Multimedia

Built-in speaker(s) *	✘
Built-in camera *	✘

Design

Product colour *	Black

Ports & interfaces

Built-in USB hub *	✔
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-B
Number of downstream ports	4
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Type-C downstream ports quantity	2
HDMI *	✔
HDMI ports quantity	1
HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.4
Headphone out *	✘
HDCP	✔
HDCP version	1.4
Charging port type	USB Type-C

Ergonomics

VESA mounting *	✔

Operational conditions

Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	5 - 90%
Operating altitude	0 - 5000 m
Non-operating altitude	0 - 12192 m

Weight & dimensions

Width (with stand)	610.7 mm
Depth (with stand)	192.3 mm
Height (with stand)	428.3 mm
Weight (with stand)	6 kg
Width (without stand)	610.7 mm
Depth (without stand)	50 mm
Height (without stand)	354.7 mm
Weight (without stand)	4.36 kg
Bezel width (side)	6.4 mm
Bezel width (top)	6.4 mm
Bezel width (bottom)	1.2 cm

Packaging data

Package weight	8.52 kg
USB cable length	1.8 m

Packaging content

Stand included	✔
Cables included	DisplayPort, HDMI, USB Type-A to USB Type-B, AC
DisplayPort cable length	1.8 m
HDMI cable length	1.8 m

Sustainability

Sustainability certificates	ENERGY STAR, TCO
Doesn't contain	PVC/BFR, Mercury, Arsenic

Other features

Compliance certificates	RoHS

5397321029489

Catalog Object Cloud