

TP-Link Tapo C410 security camera Bullet IP security camera Outdoor 2304 x 1296 pixels Ceiling/wall

Brand : TP-Link Product family: Tapo Product code: C410

Product name: C410

1/2.8" Progressive Scan CMOS Starlight Sensor, MicroSD, Wi-Fi, IP65, white TP-Link Tapo C410. Type: IP security camera, Placement supported: Outdoor, Connectivity technology: Wireless. Mounting type: Ceiling/wall, Product colour: White, Form factor: Bullet. Field of view (FOV) angle: 125°, Lens viewing angle, horizontal: 111°, Lens viewing angle, vertical: 56°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.8 mm (1 / 2.8"). Fixed focal length: 3.17 mm





Performance		Network	
Type * Placement supported * Connectivity technology * Wide Dynamic Range (WDR) Day/night mode Built-in light Certification	IP security camera Outdoor Wireless CE, FCC, DOE, CEC, RCM, KC, NCC, BSMI, NTRA, IP65	Ethernet LAN * Wi-Fi * Wi-Fi standards Bluetooth * Channel bandwidth Works with the Google Assistant Works with Amazon Alexa Live view	X 802.11b, 802.11g, Wi-Fi 4 (802.11n) X 2400 MHz V
Design		Storage	
Form factor * Mounting type * Product colour * International Protection (IP) code Weatherproof	Bullet Ceiling/wall White IP65	Built-in HDD * Card reader integrated Compatible memory cards Maximum memory card size	X ✓ MicroSD (TransFlash) 512 GB
Camera		Security	
Field of view (FOV) angle Lens viewing angle, horizontal Lens viewing angle, vertical Lens viewing angle, diagonal	125° 111° 56° 125°	Built-in siren Siren noise level Video motion detection Security algorithms	94 dB ✓ 128-bit AES, SSL/TLS, WPA, WPA2-PSK
Image sensor		Management features	. 5.1.
Number of sensors Optical sensor size Progressive scan Sensor type *	1 25.4 / 2.8 mm (1 / 2.8") CMOS	Reset button Power Power source type *	✔ Battery, DC, Solar
Lens system		AC input voltage	100-240 V
Number of lenses * Maximum aperture number Fixed focal length	1 1.65 3.17 mm	AC input frequency Power consumption (typical) Power consumption (max)	50/60 Hz 1.04 W 2.12 W

Night vision		Power	
Night vision * Night vision distance LED type Infra-red wavelength	√ 9.1 m IR 850 nm	DC output voltage DC output current Battery technology Rechargeable battery	5 1 A Lithium-lon (Li-lon) ✓
Video		Operational conditions	
Total megapixels * 3 MP Video formats supported H.264 Supported video modes 1080p Frame rate 15 fps Noise reduction technology 3D noise reduction technology DNR	H.264 1080p 15 fps	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-20 - 45 °C -20 - 60 °C 10 - 90% 5 - 90%
		System requirements	
			Android 10, Android 10.0, Android 11.0, Android 12.0, Android 13.0, Android 5.0, Android 5.1, Android
Audio Built-in speaker(s) Audio system 2-way Built-in microphone ✓	2-way	Mobile operating systems supported	6.0 Android 7.0 Android 7.1
		Weight & dimensions	
		Weight Cable length	230 g 0.5 m
		Packaging content	
		Number of cameras *	1





4895252503746

8885020625660



4895252503753

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.