

APC SRT2200XLA uninterruptible power supply (UPS) Doubleconversion (Online) 2.2 kVA 1800 W 7 AC outlet(s)

Brand : APC Product code: SRT2200XLA

Product name: SRT2200XLA

Smart-UPS SRT 2200VA 120V, LCD, Double Conversion Online, NEMA 5-20R/NEMA L5-20R, IP20, Black

APC SRT2200XLA uninterruptible power supply (UPS) Double-conversion (Online) 2.2 kVA 1800 W 7 AC outlet(s):

High density, double-conversion on-line power protection with scalable runtime

Includes : CD with software, Documentation CD, Installation guide, Removable support feet, USB cable, Warranty card.


APC SRT2200XLA. UPS topology: Double-conversion (Online), Output power capacity: 2.2 kVA, Output power: 1800 W. AC outlet types: NEMA 5-20R, NEMA L5-20R, Power plug: NEMA 5-20P, AC outlets quantity: 7 AC outlet(s). Battery capacity: 306 VAh, Battery life (max): 5 year(s). Form factor: Tower, Product colour: Black, Cable length: 1.83 m. Compliance certificates: RoHS, Certification: CSA C22.2 No.107.3-05, ENERGY STAR (USA), FCC Part 15 Class A, UL 1778





Features		Design	
UPS topology * Output power capacity * Output power * Waveform * Input operation voltage (min) * Input operation voltage (max) * Input frequency *	40 - 70 Hz 120 V 120 V 50/60 Hz 340 J 3:1 ✓ 55 dB ✓ Overload	Form factor * Cable length Product colour * Display type LED indicators International Protection (IP) code Operational conditions	Tower 1.83 m Black LCD Status, Battery replacement IP20
Output operation voltage (min) Output operation voltage (max) Output frequency Surge energy rating Crest factor Emergency Power Off (EPO) Noise level		Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C -15 - 45 °C 0 - 95% 0 - 95% 0 - 3000 m 0 - 15000 m
Surge protection Power protection features Audible alarm(s) Web-based management		Certificates Compliance certificates Certification	RoHS CSA C22.2 No.107.3-05, ENERGY STAR (USA), FCC Part 15 Class A, UL 1778
Audible alarm modes Auto-restart	Battery replacement	Packaging content Cables included	USB cable
Ports & interfaces AC outlet types Power plug	NEMA 5-20R, NEMA L5-20R NEMA 5-20P	Quick installation guide Sustainability	/

Ports & interfaces		Sustainability		
AC outlets quantity	7 AC outlet(s)	Sustainability certificates	ENERGY STAR	
USB port	✓	Weight & dimensions	nsions	
Serial interface	✓	Width	85 mm	
Serial interface type	RJ-45	Depth	584 mm	
Ethernet LAN (RJ-45) ports	2	Height	432 mm	
SmartSlot	✓	Weight	25 kg	
Battery		Packaging data		
Battery capacity	306 VAh	Bracket	/	
Battery life (max)	5 year(s)	Warranty card	✓	
Hot-swap battery	✓	Software CD	✓	
Automatic battery test	✓	Package width	599 mm	
Cold start	✓	Package depth	810 mm	
		Package height	246 mm	
		Package weight	30.8 kg	
		Package type	Box	
		Logistics data		
		Products per pallet	12 pc(s)	





731304325161

0731304325161

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.