



APC SRT2200XLA uninterruptible power supply (UPS) Double-conversion (Online) 2.2 kVA 1800 W 7 AC outlet(s)

Brand : APC

Product code: SRT2200XLA

Product name : SRT2200XLA

Smart-UPS SRT 2200VA 120V, LCD, Double Conversion Online, NEMA 5-20R/NEMA L5-20R, IP20, Black

[APC SRT2200XLA uninterruptible power supply \(UPS\) Double-conversion \(Online\) 2.2 kVA 1800 W 7 AC outlet\(s\):](#)

High density, double-conversion on-line power protection with scalable runtime

Includes : CD with software, Documentation CD, Installation guide, Removable support feet, USB cable, Warranty card.

APC SRT2200XLA. UPS topology: Double-conversion (Online), Output power capacity: 2.2 kVA, Output power: 1800 W. AC outlet types: NEMA 5-20R, NEMA L5-20R, Power plug: NEMA 5-20P, AC outlets quantity: 7 AC outlet(s). Battery capacity: 306 VAh, Battery life (max): 5 year(s). Form factor: Tower, Product colour: Black, Cable length: 1.83 m. Compliance certificates: RoHS, Certification: CSA C22.2 No.107.3-05, ENERGY STAR (USA), FCC Part 15 Class A, UL 1778



Features		Design	
UPS topology *	Double-conversion (Online)	Form factor *	Tower
Output power capacity *	2.2 kVA	Cable length	1.83 m
Output power *	1800 W	Product colour *	Black
Waveform *	Sine	Display type	LCD
Input operation voltage (min) *	120 V	LED indicators	Status, Battery replacement
Input operation voltage (max) *	120 V	International Protection (IP) code	IP20
Input frequency *	40 - 70 Hz	Operational conditions	
Output operation voltage (min)	120 V	Operating temperature (T-T)	0 - 40 °C
Output operation voltage (max)	120 V	Storage temperature (T-T)	-15 - 45 °C
Output frequency	50/60 Hz	Operating relative humidity (H-H)	0 - 95%
Surge energy rating	340 J	Storage relative humidity (H-H)	0 - 95%
Crest factor	3:1	Operating altitude	0 - 3000 m
Emergency Power Off (EPO)	✓	Non-operating altitude	0 - 15000 m
Noise level	55 dB	Certificates	
Surge protection	✓	Compliance certificates	RoHS
Power protection features	Overload	Certification	CSA C22.2 No.107.3-05, ENERGY STAR (USA), FCC Part 15 Class A, UL 1778
Audible alarm(s)	✓	Packaging content	
Web-based management	✓	Cables included	USB cable
Audible alarm modes	Battery replacement	Quick installation guide	✓
Auto-restart	✓	Sustainability	
Ports & interfaces		Sustainability certificates	ENERGY STAR
AC outlet types	NEMA 5-20R, NEMA L5-20R	Weight & dimensions	
Power plug	NEMA 5-20P	Width	85 mm
AC outlets quantity	7 AC outlet(s)	Depth	584 mm
USB port	✓	Height	432 mm
Serial interface	✓		
Serial interface type	RJ-45		
Ethernet LAN (RJ-45) ports	2		

Ports & interfaces		Weight & dimensions	
SmartSlot	✓	Weight	25 kg
Battery		Packaging data	
Battery capacity	306 VAh	Bracket	✓
Battery life (max)	5 year(s)	Warranty card	✓
Hot-swap battery	✓	Software CD	✓
Automatic battery test	✓	Package width	599 mm
Cold start	✓	Package depth	810 mm
		Package height	246 mm
		Package weight	30.8 kg
		Package type	Box
		Logistics data	
		Products per pallet	12 pc(s)



0731304325161



731304325161

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.