

## Logitech Rally Board 65

**Brand :** Logitech

**Product code:** 960-001729

**Product name :** Rally Board 65

65" LCD, IR Touch (20 points), 5000:1, 400 nits, 1", 20.3MP, UltraHD 4K, 8W speakers, Wi-Fi, Bluetooth BLE, Ethernet, 100-240VAC, White  
 Logitech Rally Board 65. Product type: Group video conferencing system. HD type: 4K Ultra HD, Supported video modes: 720p, 900p, 1080p, 1440p, 2160p, Maximum frame rate: 30 fps. Digital zoom: 4x. Ethernet LAN, Wi-Fi. Bluetooth. Display: LCD, Display diagonal: 165.1 cm (65"), Display resolution: 3840 x 2160 pixels. Product colour: White



<b>Performance</b>		<b>Camera</b>	
Bluetooth	✓	Diagonal field of view	115.7°
Product colour *	White	Camera privacy shutter	✓
Product type *	Group video conferencing system	Privacy camera	✓
Wall mountable	✓	Privacy type	Privacy shutter
PTZ control	✓	<b>Display</b>	
<b>Video</b>		Built-in display	✓
HD type *	4K Ultra HD	Display	LCD
Maximum video resolution *	3840 x 2160 pixels	Display diagonal	165.1 cm (65")
HD-Ready	✓	Display resolution	3840 x 2160 pixels
Supported video modes	720p, 900p, 1080p, 1440p, 2160p	Contrast ratio (typical)	5000:1
Maximum frame rate	30 fps	Touchscreen	✓
<b>Audio</b>		Touchscreen type	Infrared
Built-in speaker(s)	✓	Display brightness	400 cd/m <sup>2</sup>
Number of speakers	2	Oleophobic coating	✓
Output voltage Total Harmonic Distortion (THD)	2%	Anti-glare screen	✓
Audio beamforming	✓	<b>Microphone</b>	
RMS rated power	8 W	Microphone sensitivity	-36 dB
Microphone pick-up range	7 m	Microphone frequency	90 - 16000 Hz
Audio enhancer	✓	<b>Computer system</b>	
Driver diameter	7 cm	VESA mounting	✓
<b>Ports &amp; interfaces</b>		<b>Operational conditions</b>	
HDMI ports quantity	2	Operating temperature (T-T)	0 - 35 °C
HDMI output ports quantity	1	Operating relative humidity (H-H)	10 - 95%
HDMI input ports quantity	1	Storage temperature (T-T)	-40 - 60 °C
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3	<b>Power</b>	
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Power source type	AC
Ethernet LAN (RJ-45) ports	1	AC input voltage	100-240 V

Ports & interfaces		Weight & dimensions	
Line-out (speaker)	✓	Width	1500 mm
Network		Depth	76 mm
Ethernet LAN *	✓	Height	989 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Weight	46 kg
Wi-Fi	✓	Packaging data	
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	Package width	220.7 mm
Security algorithms	256-bit AES	Package depth	1675.7 mm
Camera		Package height	1185 mm
Zoom capability	✓	Package weight	63 kg
Digital zoom	4x	Packaging content	
Image sensor size *	1"	Cables included	AC
Horizontal field of view	103.3°	Power cable length	3 m
Vertical field of view	60.7°	Mounting kit	✓
		Manual	✓
		Batteries included	✗



0097855202598



097855202598

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.