## GIGABYTE H810M S2H Motherboard - Intel Core Ultra (Series 2) CPUs, 4+1+2 Phases VRM, up to 6400MHz DDR5, 1xPCle 4.0 M.2, 1GbE LAN, USB 3.2 Gen 1

Brand: GIGABYTE Product code: H810M S2H

**Product name :** H810M S2H Motherboard - Intel Core Ultra (Series 2) CPUs, 4+1+2 Phases VRM, up to 6400MHz DDR5, 1xPCle 4.0 M.2, 1GbE LAN, USB 3.2 Gen 1

- Supports Intel Core Ultra processors (Series 2)

- Hybrid 4+1+2 phases VRM solution
- EZ-Latch: PCIe x16 Slot with Quick Release Design
- Friendly UI: Multi-Theme and Q-Flash Auto Scan in BIOS and SW
- Next Generation Storage: PCle 4.0 x4 M.2 Connectors
- Fast Networking: GbE LAN
- Extended Connectivity: DisplayPort, HDMI

H810M S2H Motherboard - Intel Core Ultra (Series 2) CPUs, 4+1+2 Phases VRM, up to 6400MHz DDR5, 1xPCle 4.0 M.2, 1GbE LAN, USB 3.2 Gen 1

GIGABYTE H810M S2H Motherboard - Intel Core Ultra (Series 2) CPUs, 4+1+2 Phases VRM, up to 6400MHz DDR5, 1xPCle 4.0 M.2, 1GbE LAN, USB 3.2 Gen 1:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket * Compatible processor series * Supported processor sockets	Intel LGA 1851 (Socket V1) Intel Core Ultra (Series 2) LGA 1851	DisplayPort version Headphone outputs Line-in Microphone in	2.1 1 •
Memory		Network	
Supported memory types * Number of memory slots * Memory slots type Memory channels ECC compatibility	DDR5-SDRAM 2 DIMM Dual-channel ECC & Non-ECC	Ethernet LAN Ethernet interface type LAN controller Wi-Fi *	✓ Gigabit Ethernet Realtek RTL8111H ×
Supported memory clock speeds	5600,6400 MHz	Features	
Supported memory clock speed (max)  Maximum internal memory * Unbuffered memory Maximum internal memory per slot  Storage controllers  Supported storage drive types Supported storage drive interfaces * Number of HDDs supported Number of storage drives supported RAID support RAID levels	HDD & SSD M.2, PCI Express 4.0, SATA III 4	Motherboard chipset * Audio chip Audio output channels * Product colour  PC health monitoring  Component for * Motherboard form factor * Motherboard chipset family * Cooling type Power source type Windows operating systems supported	Intel H810 Realtek ALC897 7.1 channels Dark brown Fan, Temperature, Voltage, Water cooling PC micro ATX Intel Passive ATX Windows 10 x64, Windows 11 x64
Graphics		Expansion slots	
Parallel processing technology support * Maximum resolution HDCP DirectX version	Not supported  4096 x 2160 pixels  ✓  12.0	PCI Express x1 (Gen 3.x) slots PCI Express x16 (Gen 4.x) slots Number of M.2 (M) slots 1st M.2 largest key size 1st M.2 highest PCI Express generation	1 1 1 2280 4.0

Internal I/O		BIOS	
USB 2.0 connectors *	1	BIOS type *	UEFI AMI
USB 3.2 Gen 1 (3.1 Gen 1)	2	BIOS memory size	256 Mbit
connectors * Number of SATA III connectors *	4	ACPI version	5.0
S/PDIF out connector	<b>4</b> ✓	Clear CMOS jumper	<b>✓</b>
Front panel audio connector	<b>v</b>	Desktop Management Interface (DMI) version	2.7
Front panel connector	· /	System Management BIOS	2.7
ATX Power connector (24-pin)	•	(SMBIOS) version	2.7
CPU fan connector	<b>v</b>	Logistics data	
Number of CPU fan connectors	1	Products per shipping (inner) case	1 pc(s)
Number of chassis fan connectors	2	Battery	
EPS power connector (8-pin)	·	Battery weight	3 g
Number of EPS power connectors	•	Lithium weight per battery	0.07 q
(8-pin)	1	Number of battery cells	1
TPM connector	✓	Battery technology	Lithium-Manganese Dioxide
Serial port headers	1		(LiMnO2)
RGB LED pin header	✓	Battery type	CR2032
Number of RGB LED pin headers	2	Packaging data	
Rear panel I/O ports		Package width	265 mm
USB 2.0 ports quantity *	5	Package depth	265 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A	1	Package height	54 mm
ports quantity *		Package weight	872 g
Ethernet LAN (RJ-45) ports *	1	Weight & dimensions	
PS/2 ports quantity  VGA (D. Sub) ports quantity *	1	Width	244 mm
VGA (D-Sub) ports quantity * HDMI ports quantity *	1	Depth	215 mm
HDMI version	2.1	Height	35 mm
DisplayPorts quantity	1	Packaging content	
		Batteries included	<b>✓</b>
		Screws included	/
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	790 g
		Technical details	
		Warranty period	3 year(s)





4719331869168

0889523047996



889523047996

## **Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.