

Epson TM-T88VII-012 180 x 180 DPI Wired Thermal POS printer

Brand : Epson

Product code: C31CJ57012

Product name : TM-T88VII-012

Epson TM-T88VII-012. Print technology: Thermal, Type: POS printer, Maximum resolution: 180 x 180 DPI. Printing media thickness: 48 - 80 µm, Maximum roll diameter: 8.3 cm, Supported paper width: 80 mm. Connectivity technology: Wired, USB connector: USB Type-A / USB Type-B, Serial interface type: RS-232. Built-in barcodes: CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code 93, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, UPC-A,..., Sound pressure level (printing): 52 dB, Sound pressure level (standby): 52 dB. Product colour: Black



Printing		Design	
Maximum resolution	180 x 180 DPI	Product colour *	Black
Print speed	500 mm/sec	Power	
Character size	1.41 x 3.39 mm	Power source type *	DC
Printing characters	Text, Graphic, Barcode, 2D barcode	Power consumption (printing)	27.9 W
Character sets	ANK	AC input voltage	24 V
Print technology *	Thermal	Power consumption	27900 mA
Type *	POS printer	Power consumption (standby)	1400 mA
Paper handling		Power consumption (standby)	1.4 W
Printing media thickness	48 - 80 µm	Operational conditions	
Maximum roll diameter	8.3 cm	Operating temperature (T-T)	5 - 45 °C
Supported paper width	80 mm	Operating relative humidity (H-H)	10 - 90%
Media thickness	48 - 80 mm	Storage relative humidity (H-H)	10 - 90%
Ports & interfaces		System requirements	
USB port *	✓	Pre-installed software	Server Direct Print, ePOS-Device, ePOS-Display, ePOS-Print
USB connector	USB Type-A / USB Type-B	Weight & dimensions	
Serial interface *	✓	Width	145 mm
Serial interface type	RS-232	Depth	195 mm
Connectivity technology *	Wired	Height	148 mm
Near Field Communication (NFC)	✓	Weight	1.7 kg
Optional connectivity	Wireless LAN	Packaging data	
Network		Quantity per pack	1 pc(s)
Ethernet LAN *	✓	Package width	195 mm
Wi-Fi *	✗	Package depth	235 mm
		Package height	260 mm
		Package weight	2.7 kg

Features		Print technology	
Built-in barcodes *	CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code 93, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, UPC-A, UPC-E	Column capacity	42/56
		Logistics data	
Sound pressure level (printing)	52 dB	Pallet weight (UK)	0 g
Sound pressure level (standby)	52 dB	Products per pallet	112 pc(s)
Mean time between failures (MTBF)	360000 h	Pallet gross weight	0 g
Autocutter durability	3 million cuts	Products per pallet (UK)	168 pc(s)
Paper save function	✓	Technical details	
Print head life	200 km	Changeable interface	✓
Mounting position	Horizontal/Vertical	Lifetime	20000000 lines
Wall mountable	✓	Other features	
Built-in sensors details	Paper End Sensor, Paper Near End Sensor, Cover Open Sensor, Receipt paper sensor	Buffer size	4 KB
		Mean cycles between failures (MCBF)	70000000
Certification	CE		

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.