



# QNAP ES1686dc R2 NAS Rack (3U) Intel® Xeon® D D-2142IT 48 GB DDR4 0 TB QNAP QES Black, Grey



**Brand :** QNAP


**Product code:** ES1686DC-R2-2142IT-96G

**Product name :** ES1686dc R2

Intel Xeon D-2142IT 8-core 1.90 GHz, 48 GB RDIMM DDR4 ECC (4 x 4 GB+4 x 8GB), 16 x 3.5-inch, 4 x 10GbE SFP+, 132 x 446.2 x 587.75 mm  
 QNAP ES1686dc R2. Type: NAS. Chassis type: Rack (3U). Device class: Large Enterprise Business.  
 Processor family: Intel® Xeon® D, Processor model: D-2142IT, Processor frequency: 1.9 GHz. Internal memory: 48 GB, Internal memory type: DDR4. Total installed storage capacity: 0 TB. Operating system installed: QNAP QES

Storage		Design	
Storage drive capacity *	0 GB	Cooling type *	Active
Supported storage drive interfaces	Serial Attached SCSI (SAS)	Product colour	Black, Grey
Storage drive sizes supported	2.5,3.5"	Number of fans	2 fan(s)
RAID support *	✓	Fan diameter	6 cm
RAID levels	0, 1, 5, 6, 10, 50, 60	Fan diameter 2	6 cm
Online RAID migration	✓	LED indicators	✓
Online RAID expansion	✓	Performance	
Hot-swap drive bays	✓	Type *	NAS
Storage drives installed *	✗	Device class *	Large Enterprise Business
Total installed storage capacity *	0 TB	Backup function *	✓
Number of storage drives supported *	16	Buzzer	✓
Installed storage drive type *	✗	Multilingual support	✓
Supported storage drive types *	HDD & SSD	Access Control List (ACL)	✓
Processor		Reset button	✓
Processor manufacturer *	Intel	On/off switch	✓
Processor family *	Intel® Xeon® D	Hot spare	✓
Processor model *	D-2142IT	S.M.A.R.T. support	✓
Processor frequency *	1.9 GHz	Software	
Processor boost frequency	3 GHz	Operating system installed *	QNAP QES
Processor cores	8	Power	
Memory		Power supply location	Built-in
Internal memory *	48 GB	Power supply unit (PSU) capacity	700 W
Internal memory type	DDR4	Number of power supply units	1
Maximum RAM supported	512 GB	Redundant power supply (RPS) support	✓
Memory slots	8	Power consumption (typical)	500.87 W
Memory form factor	RDIMM/LRDIMM	AC input voltage	90-264 V
ECC	✓	Fan voltage	12 V
Flash memory	4000 MB	Weight & dimensions	
Network		Width *	483.1 mm
Ethernet LAN *	✓	Depth *	630.6 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Height *	132 mm
Jumbo frames support	✓	Package width	587 mm
iSCSI support	✓		

Network		Weight & dimensions	
Supported network protocols	CIFS/SMB2/SMB3, NFS v3/NFS v4.1, FTP, FTPS, TFTP, HTTP, HTTPS, SSH, iSCSI, Fibre Channel, SNMP, SMTP, SMSG	Package depth	750 mm
		Package height	351 mm
		Package weight	32.7 kg
Ports & interfaces		Packaging content	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2	Cables included	AC, LAN (RJ-45), RS-232
Fiber ports quantity	4	Power cables quantity	2
Fiber optic connector	SFP+	Rack mount kit	✓
Ethernet LAN (RJ-45) ports *	3	Number of screws	64
PCI Express x8 (Gen 3.x) slots	2	Package type	Box
Design		Operational conditions	
Chassis type *	Rack (3U)	Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	5 - 95%
		Storage temperature (T-T)	-20 - 70 °C
		Other features	
		Warranty period	5 year(s)



0885022028795



885022028795



4711103086483

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.