

## Epson OmniLink TM-T88VII 180 x 180 DPI Wired Thermal POS printer

**Brand :** Epson

**Product code:** C31CJ57052

**Product name :** OmniLink TM-T88VII

Epson OmniLink TM-T88VII. Print technology: Thermal, Type: POS printer, Maximum resolution: 180 x 180 DPI. Printing media thickness: 48 - 80 µm, Maximum roll diameter: 8.3 cm, Supported paper width: 80 mm. Connectivity technology: Wired, USB connector: USB Type-A / USB Type-B, Optional connectivity: Wireless LAN. Ethernet LAN data rates: 10,100 Mbit/s. Built-in barcodes: CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code 93, EAN13, EAN8, GS1 DataBar, GS1-128, ITF,...., Sound pressure level (printing): 52 dB, Mean time between failures (MTBF): 360000 h



<b>Printing</b>		<b>Power</b>	
Maximum resolution	180 x 180 DPI	Power source type *	DC
Print speed	500 mm/sec	Power consumption (printing)	28.6 W
Character size	1.41 x 3.39 mm	AC input voltage	24 V
Printing characters	Text, Graphic, Barcode, 2D barcode	Power consumption	27900 mA
Character sets	ANK	Power consumption (standby)	1400 mA
Print technology *	Thermal	Power consumption (standby)	1.4 W
Type *	POS printer	<b>Operational conditions</b>	
<b>Paper handling</b>		Operating temperature (T-T)	5 - 45 °C
Printing media thickness	48 - 80 µm	Operating relative humidity (H-H)	10 - 90%
Maximum roll diameter	8.3 cm	Storage relative humidity (H-H)	10 - 90%
Supported paper width	80 mm	<b>System requirements</b>	
Media thickness	48 - 80 mm	Pre-installed software	Server Direct Print, ePOS-Device, ePOS-Display, ePOS-Print
<b>Ports &amp; interfaces</b>		<b>Weight &amp; dimensions</b>	
USB port *	✓	Width	145 mm
USB connector	USB Type-A / USB Type-B	Depth	195 mm
Serial interface *	✗	Height	148 mm
Connectivity technology *	Wired	Weight	1.7 kg
Near Field Communication (NFC)	✓	<b>Packaging data</b>	
Optional connectivity	Wireless LAN	Quantity per pack	1 pc(s)
<b>Network</b>		Package width	195 mm
Ethernet LAN *	✓	Package depth	235 mm
Ethernet LAN data rates	10,100 Mbit/s	Package height	260 mm
Wi-Fi *	✗	Package weight	2.7 kg
		<b>Print technology</b>	
		Column capacity	42/56

Features		Logistics data	
Built-in barcodes *	CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code 93, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, PDF417, UPC-A, UPC-E	Pallet weight (UK)	0 g
Sound pressure level (printing)	52 dB	Products per pallet	112 pc(s)
Mean time between failures (MTBF)	360000 h	Pallet gross weight	0 g
Autocutter durability	3 million cuts	Products per pallet (UK)	168 pc(s)
Paper save function	✓	Technical details	
Print head life	200 km	Changeable interface	✓
Mounting position	Horizontal/Vertical	Lifetime	20000000 lines
Wall mountable	✓	Other features	
Built-in sensors details	Paper End Sensor, Paper Near End Sensor, Cover Open Sensor, Receipt paper sensor	Buffer size	4 KB
Certification	CE	Mean cycles between failures (MCBF)	70000000
Design			
Product colour *	Black		

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.