Viewsonic IFP7551 Display interactive whiteboard 190.5 cm (75") 3840 x 2160 pixels Touchscreen Black

Brand : Viewsonic

Product name : IFP7551 Display

Product code: IFP7551

- Write Away quick-start annotation, enhanced by 50-point touch and palm rejection for precise writing.
- 70W total output power speaker system with built-in 8-microphone array, for rich, immersive audio.
- EDLA-Certified with Android 14, integrated ViewSonic Education Software for seamless functionality.
- NFC and SSO sign-in for swift access to the intuitive launcher and personal settings.
- EPEAT Silver certified for enhanced energy efficiency and sustainability.

Enterprise Device Licensing Agreement (EDLA) Certified ViewBoard 75" 4K Interactive Display Viewsonic IFP7551 Display. Display diagonal: 190.5 cm (75"), Working area: 1428.48 x 803.52 mm, Display brightness: 500 cd/m². Operating system installed: Android, Maximum internal memory: 128 GB, RAM capacity: 16 GB. Speaker power: 25 W, Subwoofer RMS power: 20 W. USB Power Delivery up to: 65 W. Product colour: Black, Panel mounting interface: 600 x 400,800 x 400 mm, Power cable length: 3 m

Display

Display diagonal *	190.5 cm (75")
Display brightness	500 cd/m²
Display number of colours	1.07 billion colours
Display resolution	3840 x 2160 pixels
Anti-glare screen	✔
Panel type	TFT-LCD
Touchscreen *	✔
Number of simultaneous touchpoints	50
Touch resolution	32767 x 32767 pixels
Touch system response time	6.5 ms
Working area *	1428.48 x 803.52 mm
Hardness	9H
Palm rejection	✔

Computer system

Operating system installed	Android
Operating system version	14
Maximum internal memory	128 GB
RAM capacity	16 GB

Audio

Built-in speaker(s) *	✔
Number of built-in speakers	2
Speaker power	25 W
Built-in subwoofer	✔
Subwoofer RMS power	20 W
Built-in microphone	✔
Number of microphone arrays	8

Projector

Built-in projector *	✘

Network

Ethernet LAN	✔

Ports & interfaces

USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	5

Ports & interfaces

DisplayPorts quantity	1
Ethernet LAN (RJ-45) ports	2
VGA (D-Sub) ports quantity	1
Line-out	✔
OPS slot	1
S/PDIF out port	✔
Audio output	1

Ergonomics

Product colour	Black
VESA mounting	✔
Panel mounting interface	600 x 400,800 x 400 mm
Wall mountable	✔
Power cable length	3 m

Power

Power consumption (off)	0.5 W
DC input voltage	100-240V AC
Power consumption	99.84 mA
Energy efficiency class	E
Energy efficiency scale	A to G

Weight & dimensions

Width *	1709.1 mm
Depth	1037.5 mm
Height *	85.5 mm
Weight	46.1 kg

Packaging data

Package width	1863 mm
Package depth	225 mm
Package height	1163 mm
Package weight	57.5 kg
Quantity per pack	1 pc(s)

Sustainability

Sustainability certificates	ENERGY STAR, EPEAT Silver

Certificates

Waste Electrical and Electronic Equipment (WEEE) compliance	✔

Ports & interfaces

Interface module USB 3.2 Gen 1 (3.1 Gen 1) Type-B ports quantity	2
USB 2.0 ports quantity	1
HDMI ports quantity	6
USB Type-C ports quantity	3
HDMI version	2.1
HDMI output ports quantity	1
USB Power Delivery up to	65 W

Other features

Warranty period	5 year(s)

Logistics data

Pallet gross width	195 cm
Pallet gross length	114 cm
Pallet gross height	127.4 cm
Products per master (outer) case	1 pc(s)

0766907979213

766907979213

4589468732853

Catalog Object Cloud