

CyberPower PDU30BVT28F power distribution unit (PDU) 28 AC outlet(s) 0U Black

Brand : CyberPower

Product code: PDU30BVT28F


Product name : PDU30BVT28F

28 NEMA 5-20R, 0U, 120V AC, 50/60Hz

CyberPower PDU30BVT28F power distribution unit (PDU) 28 AC outlet(s) 0U Black:

The CyberPower 28-outlet (28 Front) 0U vertical rack mount basic power distribution unit (PDU30BVT28F) provides 120V 30A output. It distributes power to 28 NEMA 5-20R receptacles from a single NEMA L5-30P twist lock plug, with unfiltered electrical pass-through. Designed for datacenters and other electrically demanding applications, this unit has a rugged, industrial-grade metal housing and a 10-foot AC power cord. It supports vertical, horizontal and wall mount installation, includes a cord retention tray and is ETL/RoHS certified. A lifetime warranty ensures that this PDU is free of defects in design, assembly, material or workmanship.

- 28 NEMA 5-20R (28 Front) output receptacles
- Single NEMA L5-30P twist lock plug
- 30-amp electrical capacity with dual 20-amp circuit breakers
- 120V AC - 50/60Hz
- 60" 0U vertical rack mount
- Rugged, industrial-grade metal housing
- 10-ft. power cord



Design		Power	
PDU types *	Basic	Power protection features	Overload
Rack capacity *	0U	Certificates	
Mounting	Horizontal/Vertical	Compliance certificates	RoHS
Product colour	Black	Certification	UL60950_1 CSA C22.2
Ports & interfaces		Operational conditions	
AC outlets quantity *	28 AC outlet(s)	Operating temperature (T-T)	0 - 35 °C
Power plug	NEMA L5-30P	Storage temperature (T-T)	-15 - 45 °C
AC outlet types *	NEMA 5-20R	Operating relative humidity (H-H)	0 - 95%
Features		Operating altitude	0 - 3000 m
Cable length	3.05 m	Non-operating altitude	0 - 15000 m
Power		Weight & dimensions	
Nominal input voltage *	120 V	Weight (imperial)	4.87 kg (10.7 lbs)
AC input frequency	50 - 60 Hz	Dimensions (W x D x H) (imperial)	1524 x 57.1 x 44.5 mm (60 x 2.25 x 1.75")
Maximum current *	30 A		
Nominal output voltage	120 V		



0649532901296



649532901296

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.