Lenovo ThinkBook 14s Yoga Intel® Core™ i5 i5-1335U Hybrid (2-in-1) 35.6 cm (14") Touchscreen Full HD 16 GB DDR4-SDRAM 512 GB SSD Wi-Fi 6 (802.11ax) Windows 11 Pro Grey

Brand : Lenovo Product family: ThinkBook Product code: 21JG0018US

Product name: 14s Yoga

- Windows 11 Pro 64-bit
- Intel Core i5-1335U (12MB Cache)
- 35.6 cm (14") Full HD 1920 x 1080 IPS Touch
- 16GB (3200MHz) DDR4-SDRAM & 512GB SSD

Intel Core i5-1335U (12MB Cache), 16GB DDR4-SDRAM, 512GB SSD, 35.6 cm (14") Full HD 1920 x 1080 IPS Touch, Intel Iris Xe Graphics, WLAN, Webcam, Windows 11 Pro 64-bit

Lenovo ThinkBook 14s Yoga. Product type: Hybrid (2-in-1), Form factor: Convertible (Folder). Processor family: Intel® Core™ i5, Processor model: i5-1335U. Display diagonal: 35.6 cm (14"), HD type: Full HD, Display resolution: 1920 x 1080 pixels, Touchscreen. Internal memory: 16 GB, Internal memory type: DDR4-SDRAM. Total storage capacity: 512 GB, Storage media: SSD. On-board graphics card model: Intel Iris Xe Graphics. Operating system installed: Windows 11 Pro. Product colour: Grey










Design		Network	
Colour name Product type * Product colour * Form factor * Housing material	Mineral Grey Hybrid (2-in-1) Grey Convertible (Folder) Aluminium	Antenna type Bluetooth Bluetooth version Ports & interfaces	2x2 ✓ 5.1
Display Display diagonal * Display resolution * Touchscreen * HD type Panel type LED backlight Native aspect ratio Anti-glare screen Display brightness RGB colour space	35.6 cm (14") 1920 x 1080 pixels ✓ Full HD IPS ✓ 16:9 ✓ 300 cd/m² sRGB	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity HDMI ports quantity * Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Sleep-and-Charge	2 1 1 1 1 ✓ ✓ ✓
Colour gamut Contrast ratio (typical) High Dynamic Range (HDR)	100% 1200:1	USB Sleep-and-Charge ports Performance Motherboard chipset	1 Intel SoC
supported High Dynamic Range (HDR) technology Processor	Dolby Vision	Keyboard Pointing device Keyboard language Numeric keypad *	Touchpad US English
Processor manufacturer * Processor family * Processor generation Processor model * Processor cores	Intel Intel® Core™ i5 13th gen Intel® Core™ i5 i5-1335U 10	Keyboard backlit Spill-resistant keyboard Software Operating system architecture	√ √ 64-bit
Processor boost frequency	4.6 GHz	Operating system language	English

Processor Processor Performance cores 2 Efficient cores 8 Performance core Max Turbo Frequency 2 Efficient core Max Turbo Frequency 3.4 6 GHz Frequency 3.4 6 GHz Frequency 3.4 6 GHz Frequency 3.4 6 GHz Frequency 4.5 GHz Frequency 5 Smart Cache 6 Smart Cache 7 Smart Cache 8 Smart Cache 9 Smart Cache 9 Smart Cache 1 Secure Disable Bit 9 CPU configuration (max) 1 Smedded options available 1 Intel Virtualization Technology for precised in Intel Virtualization Technology (VT- V Smart Cache) 1 Intel Virtualization Technology (VT- V Smart Cache 1 Intel Virtualization Technology (VT- V Smart Cache 1 Intel Virtualization Technology (VT- V Smart Cache 1 Intel Virtualization Technology (VT-
Efficient cores Reformance-core Max Turbo Reformance-core Max Reformance-
Performance-core Max Turbo Frequency
Frequency 4-5 6HZ Intel Flex Memory Access V Fredericant-Core Max Turbo Frequency 3.4 GHz Intel Trusted Execution Technology V Frocessor cache 12 MB Tables (EPT) 12 MB Tables (EPT) 15 Tables
Efficient-core Max Turbo Frequency 3.4 GHz Intel Trusted Execution Technology V Processor cache 12 MB Intel Trusted Execution Technology V Processor cache 12 MB Intel VTrus with Extended Page Tables (EPT) V Processor cache type Smart Cache Execute Disable Bit V Processor cache type DRA-SDRAM Interval Memory type DDRA-SDRAM Interval Memory Clock speed 3200 MHz Intel Virtualization Technology (VT-d) Processor Continuous Video (VT-d) Processor Cache V Processor Cach
Tables (EPT) Tables (EPT) Execute Disables Bit Configurable TDP-down Memory Item Bernal memory* Intel Virtualization Technology for Directed I/O (VT-d) Intel Virtualization Technology for Directed I/O (VT-d) Intel Virtualization Technology (VT-d) Memory clock speed Accompany of the Company of Directed I/O (VT-d) Memory form factor On-board + SO-DIMM Maximum internal memory* Item Battery Battery technology Lithium Polymer (LIPo) Battery capacity* 50 Wh Storage Battery item longy Battery capacity* 512 GB Fast charging Fas
Processor cache type Configurable TDP-down 12 W Memory Fine Execute Disable Bit CPU configuration (max) 1 Embedded options available Internal memory* 16 GB Intel Virtualization Technology for Directed V(VT-d) Internal memory type DDR4-SDRAM Intel Virtualization Technology (VT- VIRTUAL CONTROLOGY) Memory clock speed 3200 MH2 Intel Virtualization Technology (VT- VIRTUAL CONTROLOGY) Memory fractor On-board + SO-DIMM Memory slots 1x SO-DIMM Maximum internal memory* 16 GB Battery Battery Battery technology Battery Battery capacity* 60 Wh Battery Storage Total storage capacity * 512 GB Fast charging Storage media * 55D Power Total SSDs capacity 512 GB Fast charging AC adapter power 65 W SSD interface PCI Express 4.0 AC adapter frequency SD form factor NVMe V SSD form factor NVMe V SSD form factor M2 Cable lock slot Card reader integrated V Compatible memory cards MicroSD (TransFlash) MicroSD (TransFla
Configurable TDP-down Memory Embedded options available Internal memory * 16 GB Internal memory * 16 GB Internal memory type DDR4-SDRAM Intel Virtualization Technology for Very *
Memory Embedded options available X Internal memory * 16 GB Intel Virtualization Technology for Directed I/O (VT-d) ✓ Internal memory type DDR4-SDRAM Directed I/O (VT-d) ✓ Memory clock speed 3200 MHz Intel Virtualization Technology (VT-X) ✓ Memory form factor On-board + SO-DIMM Battery Embedded options available V Memory form factor 0n-board + SO-DIMM Battery Lithium Polymer (LiPo) Memory channels Dual-channel Battery technology Lithium Polymer (LiPo) Memory channels 16 GB Battery technology Lithium Polymer (LiPo) Memory channels 15 GB Continuous video playback time 15.2 B Storage Power 15.2 GB Continuous video playback time 15.0 F Storage spacity
Internal memory * 16 GB Intel Virtualization Technology for Directed I/O (VT-d) Internal memory type DDR4-SDRAM Directed I/O (VT-d) Intel Virtualization Technology (VT-x) Intel Virtualization Intel Virtualization Intel Virtualization Intel Virtualization Intel Virtualization Intel Virtualiz
Internal memory type Memory clock speed 3200 MHz Intel Virtualization Technology (VT- with a speed of the property of t
Memory clock speed 3200 MHz Intel Virtualization Technology (VT-VI) Memory form factor 0n-board + SO-DIMM Battery Memory slots 1x SO-DIMM Battery Maximum internal memory * 16 GB Battery technology Lithium Polymer (LiPo) Memory channels Dual-channel Battery capacity * 60 Wh Storage Total storage capacity * 512 GB Continuous video playback time 15.8 h Total storage capacity 512 GB Power Storage media * SSD Power Number of SSDs installed 1 AC adapter power 65 W SSD capacity 512 GB AC adapter input voltage 100 - 240 V SSD interface PCI Express 4.0 AC adapter input voltage 100 - 240 V NVMe ✓ Security SSD form factor M.2 Cable lock slot ✓ Optical drive type * X Cable lock slot type Kensington Card reader integrated ✓ Cable lock slot type Kensington Compatible memory cards MicroSD (TransFlash) Fingerprint reader ✓ Trusted Platform Module (TPM) ✓ Trusted Platform Module (TPM) ✓ Discrete graphics card * ✓ Password protection
Memory form factor On-board + SO-DIMM Battery Memory slots 1x SO-DIMM Battery Maximum internal memory* 16 GB Battery technology Lithium Polymer (LiPo) Memory channels Dual-channel Battery capacity* 60 Wh Storage Battery life (max) 11.7 h Total storage capacity * 512 GB Continuous video playback time 15.8 h Storage media* SSD Power Number of SSDs installed 1 AC adapter power 65 W SSD capacity 512 GB AC adapter power 65 W SSD capacity 512 GB AC adapter intervency 50/60 Hz SSD interface PCI Express 4.0 AC adapter intervency 50/60 Hz SSD form factor M.2 Security SSD form factor M.2 Cable lock slot ✓ Card reader integrated ✓ Cable lock slot type Kensington Compatible memory cards MicroSD (TransFlash) Trusted Platform Module (TPM) ✓ Graphics Not available version V On-board graphics card model * Not available version V On-board graphics card model * Not available version V On-board
Maximum internal memory * 16 GB
Memory channels Dual-channel Battery (apacity* 60 Wh Storage Battery life (max) 11.7 h Total storage capacity* 512 GB Continuous video playback time 15.8 h Storage media* 5SD Fast charging ✓ Total SSDs capacity 512 GB Power Number of SSDs installed 1 AC adapter power 65 W SSD capacity 512 GB AC adapter frequency 50/60 Hz SSD interface PCI Express 4.0 AC adapter input voltage 100 - 240 V NVMe ✓ Security SSD form factor M.2 Cable lock slot Kensington Optical drive type* X Cable lock slot type Kensington Card reader integrated ✓ Cable lock slot type Kensington Compatible memory cards MicroSD (TransFlash) Fingerprint reader ✓ Trusted Platform Module (TPM) ✓ 2.0 Discrete graphics card model * Not available version 2.0 On-board graphics card sod of graphics card * ✓ Password protection ✓ On-board graphics card model * Intel liris Xe Graphics Operating temperature (T-T) 5 - 35 °C Audio Storage temperature (T-T) <
Storage Total storage capacity* 512 GB Storage media * SSD Total SSDs capacity 512 GB SSD storage media * SSD Total SSDs capacity 512 GB Number of SSDs installed 1 AC adapter power SSD capacity 512 GB AC adapter frequency 50/60 Hz SSD interface PCI Express 4.0 AC adapter input voltage 100 - 240 V **SSD form factor Card reader integrated AC cable lock slot Card reader integrated AC compatible memory cards MicroSD (TransFlash) **Trusted Platform Module (TPM) Version **Discrete graphics card model * On-board GPU manufacturer Intel Discrete graphics card * AC Adapter input voltage AC adapte
Total storage capacity * 512 GB Storage media * SSD Total SSDs capacity SSD space Number of SSDs installed SSD space SSD spac
Total storage capacity* Storage media* SSD Fast charging Fast
Storage media * SSD Total SSDs capacity 512 GB Number of SSDs installed 1 SSD capacity 512 GB AC adapter power 65 W SSD interface PCI Express 4.0 AC adapter input voltage 100 - 240 V NVMe NVMe SSD form factor M.2 Optical drive type * X Card reader integrated Y Compatible memory cards MicroSD (TransFlash) Trusted Platform Module (TPM) Version Discrete graphics card model * Not available Non-board graphics card * V On-board graphics card * X On-board graphics card model * Intel Iris Xe Graphics Operating temperature (T-T) 5 - 43 °C Audio chip Realtek ALC3287 Operating relative humidity (H-H) 8 - 95% Audio system Dolby Atmos Storage relative humidity (H-H) 5 - 95% Number of built-in speakers 2 Well-accord SSD installed 1 AC adapter power AC adapter input voltage 50 (Port Installable ACC adapter input voltage 100 - 240 V AC adapter input voltage 100 - 240 V AC adapter input voltage 100 - 240 V Security Cable lock slot type Kensington (Cable lock slot type (Cable lock slot type Kensington (Cable lock slot type (Cable lock slot t
Total SSDs capacity Number of SSDs installed 1
SSD capacity 512 GB AC adapter frequency 50/60 Hz SSD interface PCI Express 4.0 AC adapter input voltage 100 - 240 V NVMe
SSD interface PCI Express 4.0 AC adapter input voltage 100 - 240 V NVMe SECURITY Sample M.2 Cable lock slot Cable lock slot type Kensington Fingerprint reader Trusted Platform Module (TPM) Trusted Platform Module (TPM) On-board graphics card On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card * On-board graphics card * On-board graphics card Not available On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Intel Iris Xe Graphics Operating temperature (T-T) 5 - 35 °C Audio chip Audio chip Realtek ALC3287 Operating temperature (T-T) 5 - 43 °C Operating relative humidity (H-H) 8 - 95% Audio chip Audio system Number of built-in speakers 2 Maximum shipping altitude 3048 m EPEAT Gold ENERGY STAR 8.0 ErP Number of microphones 2 Certification Certification
NVMe SSD form factor M.2 Optical drive type * Cable lock slot Cable lock slot type Card reader integrated Compatible memory cards MicroSD (TransFlash) Graphics Discrete graphics card model * On-board graphics card * On-board graphics card * On-board graphics card * On-board graphics card * Conbeard graphics card * On-board graphics card * Conbeard graphics card model * Intel Iris Xe Graphics Conperting temperature (T-T) Songe temperatu
SSD form factor Optical drive type * Card reader integrated Compatible memory cards MicroSD (TransFlash) Fingerprint reader Trusted Platform Module (TPM) Version On-board graphics card * On-board graphics card model * Intel Iris Xe Graphics Operating temperature (T-T) S - 35 °C Audio Audio chip Audio chip Audio system Dolby Atmos Number of built-in speakers 2 W Certificates EPEAT Gold ENERGY STAR 8.0 EPP Number of microphones 2 Certification Cable lock slot Cable lock slot type Kensington Kensington Kensington Kensington Cable lock slot Version Version Password protection V Do-Password protection V Password protection V Dioparting temperature (T-T) S - 35 °C Audio (T-T) S - 35 °C
SSD form factor Optical drive type * Cable lock slot Cable lock slot type Card reader integrated Compatible memory cards MicroSD (TransFlash) Graphics Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Intel Iris Xe Graphics Operational conditions Operating temperature (T-T) Source
Optical drive type * Cable lock slot type Kensington Cable lock slot type Kensington Fingerprint reader Trusted Platform Module (TPM) Fingerprint reader Trusted Platform Module (TPM) Discrete graphics card model * Not available On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card model * Intel Iris Xe Graphics Operating temperature (T-T)
Card reader integrated Compatible memory cards MicroSD (TransFlash) Graphics Trusted Platform Module (TPM) Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card * On-board graphics card * On-board graphics card * On-board graphics card * On-board graphics card * On-board graphics card * On-board graphics card * On-board graphics card * On-board graphics card * On-board graphics card * On-board graphics card model * Intel Iris Xe Graphics Operating temperature (T-T) S - 35 °C Audio Audio chip Audio chip Realtek ALC3287 Operating relative humidity (H-H) Audio system Dolby Atmos Storage relative humidity (H-H) S - 95% Maximum shipping altitude On-board graphics card model * Operating relative humidity (H-H) S - 95% Maximum shipping altitude On-board graphics card model * Operating relative humidity (H-H) S - 95% Maximum shipping altitude On-board graphics card model * Operating relative humidity (H-H) S - 95% Operating r
Compatible memory cards MicroSD (TransFlash) Trusted Platform Module (TPM) Trusted Platform Module (TPM) Version Discrete graphics card model * On-board graphics card * On-board GPU manufacturer Intel Discrete graphics card * On-board graphics card model * Intel Iris Xe Graphics Operating temperature (T-T) S - 35 °C Audio Audio Chip Audio chip Audio system Dolby Atmos Number of built-in speakers Dolby Atmos Naximum shipping altitude Operating clative humidity (H-H) Storage relative humidity (H-H) S - 95% Maximum shipping altitude Operating clative humidity (H-H) S - 95% Certificates EPEAT Gold ENERGY STAR 8.0 ErP Number of microphones Operating relation Certification Certification
Discrete graphics card model * Not available version On-board graphics card *
Discrete graphics card model * Not available Version On-board graphics card * V Password protection On-board GPU manufacturer Intel Discrete graphics card * X Operational conditions On-board graphics card * X Operational conditions On-board graphics card model * Intel Iris Xe Graphics On-board graphics card model * Intel Iris Xe Graphics Operating temperature (T-T) 5 - 35 °C Audio Audio Chip Realtek ALC3287 Operating relative humidity (H-H) 8 - 95% Audio system Dolby Atmos Storage relative humidity (H-H) 5 - 95% Number of built-in speakers 2 Speaker power 2 W Certificates Built-in microphone V Number of microphones 2 Certification VERSION V Password protection V Password protection Operation type BIOS, Power on, Supervisor, HDD Operational conditions 5 - 35 °C Storage temperature (T-T) 5 - 43 °C Operating relative humidity (H-H) 8 - 95% Maximum shipping altitude 3048 m EPEAT Gold ENERGY STAR 8.0 ErP Lot 6 ErP Lot 26 ROHS MIL-
On-board GPU manufacturer Discrete graphics card * On-board graphics card * On-board graphics card model * Intel Iris Xe Graphics Operating temperature (T-T) Audio Audio Chip Audio System Dolby Atmos Number of built-in speakers Speaker power BIOS, Power on, Supervisor, HDD BIOS, Power on, Supervisor, HDD Storage temperature (T-T) 5 - 35 °C Storage temperature (T-T) 5 - 43 °C Operating relative humidity (H-H) Storage relative humidity (H-H)
Discrete graphics card *
On-board graphics card model * Intel Iris Xe Graphics Operating temperature (T-T) 5 - 35 °C Audio Audio Chip Realtek ALC3287 Operating relative humidity (H-H) 8 - 95% Audio system Dolby Atmos Storage relative humidity (H-H) 5 - 95% Number of built-in speakers 2 Maximum shipping altitude 3048 m Speaker power 2 W Certificates Built-in microphone V Certification EPEAT Gold ENERGY STAR 8.0 ErP Lot 6 ErP Lot 26 RoHS MIL-
Audio Storage temperature (T-T) Audio chip Realtek ALC3287 Audio system Dolby Atmos Number of built-in speakers Speaker power Built-in microphone V Number of microphones Operating relative humidity (H-H) Solvage relativ
Audio chip Realtek ALC3287 Operating relative humidity (H-H) S - 95% Audio system Dolby Atmos Number of built-in speakers 2 Speaker power 2 W Certificates Built-in microphone V Number of microphones 2 Certification Operating relative humidity (H-H) S - 95% Maximum shipping altitude 3048 m Certificates EPEAT Gold ENERGY STAR 8.0 ErP Lot 6 ErP Lot 26 RoHS MIL-
Audio system Dolby Atmos Number of built-in speakers 2 Maximum shipping altitude 3048 m Speaker power 2 W Certificates Built-in microphone V Number of microphones 2 Certification EPEAT Gold ENERGY STAR 8.0 ErP Lot 6 ErP Lot 26 RoHS MIL-
Number of built-in speakers 2 Maximum shipping altitude 3048 m Speaker power 2 W Certificates Built-in microphone ✓ Certification EPEAT Gold ENERGY STAR 8.0 ErP Number of microphones 2 Certification Lot 6 ErP Lot 26 RoHS MIL-
Speaker power 2 W Certificates Built-in microphone
Built-in microphone ✓ EPEAT Gold ENERGY STAR 8.0 ErP Number of microphones 2 Certification Lot 6 ErP Lot 26 RoHS MIL-
Number of microphones 2 Certification Lot 6 ErP Lot 26 RoHS MIL-
STD-810H TÜV
Camera
Front camera Weight & dimensions
Front camera resolution 1920 x 1080 pixels Width 320 mm
Front camera HD type Full HD Depth 216 mm
Privacy camera Height 16.9 mm Weight * 15 kg
Privacy type Privacy shutter Weight * 1.5 kg
Network Packaging content
Network
Top Wi-Fi standard * Wi-Fi 6 (802.11ax) Stylus pen ✓
Stylus pop





196804371177

0196804371177

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.