j5create

j5create JCH471 USB-C™ Gigabit Ethernet & Hub Multi Adapter, Metallic Champagne



Brand : j5create

Product code: JCH471-N

Product name : JCH471 USB-C™ Gigabit Ethernet & Hub Multi Adapter, Metallic Champagne

- Gigabit Ethernet and 3-Port HUB over a USB Type-C connection
- 5 Gbps transfer rate
- Aluminum housing
- Compatible with Windows/Mac/Linux/ChromeOS

JCH471 USB-C Gigabit Ethernet & Hub Multi Adapter, Metallic Champagne



j5create JCH471 USB-C™ Gigabit Ethernet & Hub Multi Adapter, Metallic Champagne:

The JCH471 USB Type-C Gigabit Ethernet & HUB Multi Adapter provides extra connectivity for your computer with 5 Gbps transfer speed. Our pocket-sized multi-adapters allow you to add additional USB computer accessories and Gigabit LAN through your USB Type-C port.

This Gigabit Ethernet adapter allows you to add networking capabilities to a computer that does not have a Wireless LAN connection. It has an RJ-45 connector that supports 10/100/1000 Mbps Ethernet performance, and it is perfect for MacBook Air, Chromebook, and other laptop and desktop computers with a USB-C port.

Fast and portable, this unique adapter gives you Ethernet and USB connections all in one.

Ports & interfaces	
Connectivity technology *	Wired
Host interface *	USB Type-C
Network	
Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s
Networking standards	IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x
Jumbo frames support	✔
Full duplex	✔
VLAN tagging	✔
Performance	
Data transfer rate	5 Gbit/s
Product colour *	Aluminium, White
LED indicators	Activity, Link
Plug and Play	✔
Housing material	Aluminium
Country of origin	Taiwan
Power	
Output voltage	5 V
Power consumption (typical)	2.25 W

Packaging data	
Package height	25 mm
Package weight	104.5 g
Packaging content	
Packaging content	1 x JCH471 USB-C Gigabit Ethernet & HUB Multi Adapter, 1 x Quick Installation Guide, 1 x Driver CD
Drivers included	✔
Batteries included	✘
Technical details	
Master (outer) case GTIN (EAN/UPC)	24712795080791
Warranty period	2 year(s)
Logistics data	
Products per master (outer) case	20 pc(s)
Master (outer) case width	225 mm
Master (outer) case length	321 mm
Master (outer) case height	180 mm
Master (outer) case gross weight	2.78 kg
Products per shipping (inner) case	5 pc(s)
Export Control Classification Number (ECCN)	EAR99
Shipping (inner) case width	10.5 cm
Shipping (inner) case length	15 cm
Shipping (inner) case height	16 cm
Shipping (inner) case net weight	570 g
Other features	
Cable length	0.145 m
Cable type	USB-C
Maximum data transfer rate	5000 Mbit/s
Interface	Ethernet
Compatible operating systems	Compatible with Windows®/Mac®/Linux®/Chrome OS™

Software	
Windows operating systems supported	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8.1, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Linux operating systems supported	✔
Other operating systems supported	ChromeOS

Weight & dimensions	
Width	43.8 mm
Depth	18.6 mm
Height	90.6 mm
Weight	58.2 g

Packaging data	
Package width	145 mm
Package depth	95 mm

Other features	
Contents	1 x JCH471 USB-C™ Gigabit Ethernet & Hub Multi Adapter, 1 x Quick Installation Guide
USB ports quantity	3



0847626001215



847626001215



4712795080797



Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 17-NOV-2026. Prints or copies of Information are only valid on the printed Publication date