

DELL Pro Plus P3225DE computer monitor 80 cm (31.5") 2560 x 1440 pixels Wide Quad HD LCD Black, Grey

Brand : DELL Product family: Pro Plus Product code: DELL-P3225DE

Product name: P3225DE

- 80.0cm (31.5") Wide Quad HD 2560 x 1440 Edge LED IPS
- 8ms, 16:9, 350cd/m², 1500:1
- USB, HDMI, DisplayPort

80.0 cm (31.5") Wide Quad HD 2560 x 1440 Edge LED IPS, 16:9, 350cd/m², 1.07B, 8ms, 178°/178°, 1500:1

DELL Pro Plus P3225DE computer monitor 80 cm (31.5") 2560 x 1440 pixels Wide Quad HD LCD Black, Grev:

Stay productive with this 31.5-inch QHD monitor featuring extensive connectivity, and certified by TÜV for 4 star eye comfort.

DELL Pro Plus P3225DE. Display diagonal: 80 cm (31.5"), Display resolution: 2560 x 1440 pixels, HD type: Wide Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178 $^{\circ}$, Viewing angle, vertical: 178 $^{\circ}$. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black, Grey



Display		Ergonomics	
Display diagonal *	80 cm (31.5")	Pivot	✓
Display resolution *	2560 x 1440 pixels	Pivot angle	-90 - 90°
HD type *	Wide Quad HD	Swivelling	✓
Native aspect ratio *	16:9	Swivel angle range	-30 - 30°
Display technology *	LCD	Tilt adjustment	✓
Panel type *	IPS	Tilt angle range	-5 - 21°
LED backlight	✓	On Screen Display (OSD)	✓
Backlight type	Edge LED	Plug and Play	· ✓
Touchscreen *	×	,	
Display brightness (typical)	350 cd/m ²	LED indicators	✓
Response time *	8 ms	Power	
Response time measurement type	GTG (Gray to Gray)	Energy efficiency class (SDR) *	E
Anti-glare screen	✓	Energy efficiency class (HDR) *	Not available
Screen shape *	Flat 640 x 480 (VGA), 720 x 400, 800 x	Energy consumption (SDR) per 1000 hours *	23 kWh
Supported graphics resolutions	600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024	Power consumption (typical) *	23.1 W
		Power consumption (standby) *	0.4 W
	(SXGA), 1600 x 1200, 1920 x 1080 (HD 1080), 2560 x 1440	Power consumption (max)	192 W
Supported video modes	480p, 576p, 720p, 1080p	Power consumption (off)	0.3 W
Contrast ratio (typical) *	1500:1	AC input voltage	100 - 240 V
Maximum refresh rate *	100 Hz	AC input frequency	50/60 Hz
Viewing angle, horizontal	178°	Input current	2.8 A
Viewing angle, vertical	178°	Power supply type	Internal
Display number of colours *	1.07 billion colours	Energy efficiency scale	A to G
Response time (fast)	5 ms	Operational conditions	
Pixel pitch	0.2727 x 0.2727 mm	Operating temperature (T-T)	0 - 40 °C
Pixel density	93 ppi	Storage temperature (T-T)	-20 - 60 °C
Horizontal scan range	30 - 151 kHz	Operating relative humidity (H-H)	10 - 80%
Vertical scan range	48 - 100 Hz	Storage relative humidity (H-H)	5 - 90%
Viewable size, horizontal	69.8 cm	Operating altitude	0 - 5000 m
Viewable size, vertical	39.3 cm	Non-operating altitude	0 - 12192 m
Viewable size diagonal	80.1 cm		

Display		Weight & dimensions	
Surface hardness	3H	Width (with stand)	713.4 mm
sRGB coverage (typical)	99%	Depth (with stand)	215 mm
Dell ComfortView technology	V	Height (with stand)	619 mm
Heat dissipation (typical)	78.8 BTU/h	Weight (with stand)	9.14 kg
Performance		Width (without stand) Depth (without stand)	713.4 mm 50 mm
NVIDIA G-SYNC *	×	Height (without stand)	413.1 mm
AMD FreeSync *	×	Weight (without stand)	6.63 kg
Flicker-free technology	·	Bezel width (side)	7.64 mm
Low Blue Light technology	·	Bezel width (top)	7.45 mm
Windows operating systems	•	Bezel width (bottom)	1.3 cm
supported	Windows 10	Packaging data	
Mac operating systems supported	✓	Package weight	12.9 kg
Multimedia		3 3	12.5 Kg
Built-in speaker(s) *	x	Packaging content	
Built-in camera *	X	Stand included	Dianley-Dort LICE Type A to LICE
Design	•	Cables included	DisplayPort, USB Type-A to USB Type-C, USB Type-C
Product colour *	Black, Grey	DisplayPort cable length	1.8 m
Front bezel colour	Black	Sustainability	
Feet colour	Grey	Sustainability certificates	ENERGY STAR, EPEAT Climate +, EPEAT Gold. TCO
Ports & interfaces		Doesn't contain	Arsenic, Mercury, PVC/BFR
Built-in USB hub *	✓		7.13c.11c, 1.1c.1cu., y, 1.1 c, 2.1 1.
Number of USB Type-C upstream	1	Carbon footprint Total carbon footprint (kg of CO2e)	297
ports quantity USB Type-A downstream ports		Carbon emissions, manufacturing	
quantity	3	(kg of CO2e)	130.977
USB Type-C downstream ports quantity	1	Carbon emissions, logistics (kg of CO2e)	24.354
USB Type-C DisplayPort Alternate Mode	✓	Carbon emissions, energy usage (kg of CO2e)	113.157
USB Power Delivery (USB PD)	✓	Carbon emissions, end-of-life (kg of	28.512
USB Power Delivery up to	90 W	CO2e) Total carbon emissions, w/o use	
HDMI *	✓	phase (kg of CO2e)	183.843
HDMI ports quantity	1	PAIA version	GaBi version 1, 2024
DisplayPorts quantity	2	Other features	
DisplayPort version	1.4	Compliance certificates	RoHS
Headphone out *	×	Ethernet LAN data rates	1000 Mbit/s
HDCP	✓	Ethernet LAN (RJ-45) ports	1
HDCP version	1.4	Wake-on-LAN	<u>-</u> ✓
Ergonomics		Certification	TÜV Rheinland Eye Comfort 3.0
VESA mounting *	✓	Brand-specific features	
Panel mounting interface	100 x 100 mm	Dell Display Manager (DDM)	✓
			- -
Cable management	✓	compatibility	•
Cable management Cable lock slot *	✓	compatibility	•
-		compatibility	•
Cable lock slot *	✓	compatibility	•





5397184962503

0884116487531



884116487531

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.