HP Engage One Pro G2 i3-14100T 2.7 GHz All-in-One 39.6 cm (15.6") 1920 x 1080 pixels Touchscreen Black

Brand : HP

Product family: Engage One Pro

Product code: BF6T0UT#ABA

Product name : Engage One Pro G2

- Windows 11 IoT Enterprise 2024 LTSC
- Intel® Core™ i3-14100T (up to 4.4 GHz Max Turbo frequency, 12 MB L3 cache, 4 cores, 8 threads)
- 39.6 cm (15.6") diagonal, FHD (1920 x 1080), touch, IPS, anti-glare, 400 nits, 45% NTSC
- 8 GB DDR5-5600 MT/s (1 x 8 GB) & 256GB SSD

Engage One Pro 15.6 G2 AiO System

HP Engage One Pro G2 i3-14100T 2.7 GHz All-in-One 39.6 cm (15.6") 1920 x 1080 pixels Touchscreen Black:

Sleek design. Fast performance. Customizable experiences.

Elevate your customer experiences and power business operations. The HP Engage One Pro G2 combines a sleek yet durable design with powerful compute and is customizable for your specific business needs.

Display	
Display diagonal *	39.6 cm (15.6")
Display resolution *	1920 x 1080 pixels
Touchscreen *	✔
Display type	IPS
Display brightness	400 cd/m²

Processor	
Processor manufacturer	Intel
Processor family *	Intel® Core™ i3
Processor model *	i3-14100T
Processor cores	4
Processor threads	8
Processor boost frequency	4.4 GHz
Processor frequency	2.7 GHz
Processor cache	12 MB

Memory	
Internal memory *	8 GB
Internal memory type	DDR5-SDRAM
Maximum internal memory	64 GB
Number of memory slots	2
Memory slots type	SO-DIMM
Memory clock speed	5600 MHz

Storage	
Total storage capacity *	256 GB
Storage media *	SSD
SSD capacity	256 GB
SSD interface	PCI Express
NVMe	✔
SSD form factor	M.2

Graphics	
Graphics card manufacturer	Intel
Graphics card	UHD Graphics 730

Multimedia	
Built-in speaker(s)	✔
Audio system	Integrated HD audio with Realtek ALC3247 codec with standards internal speakers and stereo headphone jack, 2W

Network	
Ethernet LAN *	✔
Bluetooth *	✔
Wi-Fi *	✔
Wi-Fi standards	Wi-Fi 7 (802.11be)

Ports & interfaces	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	5
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
Line-out	✔

Design	
Chassis type	All-in-One
Product colour	Black

Performance	
Trusted Platform Module (TPM)	✔
Trusted Platform Module (TPM) version	2.0

Software	
Operating system installed *	Windows 11 IoT Enterprise LTSC
Introduction year	2025

Power	
Power supply	280 W

Operational conditions	
Operating relative humidity (H-H)	20 - 85%
Operating temperature (T-T)	10 - 40 °C

Security	
Cable lock slot	✔

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 15-OCT-2026. Prints or copies of Information are only valid on the printed Publication date