FUJITSU

Fujitsu FI-7600 ADF scanner 600 x 600 DPI A3 Black, White

Brand : Fujitsu

Product name : FI-7600

Product code: PA03740-B505

ADF, 50.8 x 69 mm - 304.8 x 431.8 mm, 2x CCD, 600dpi, USB 3.1, 11 kg
Fujitsu FI-7600. Maximum scan size: 304.8 x 431.8 mm, Optical scanning resolution: 600 x 600 DPI,
Output colour depth: 24 bit. Scanner type: ADF scanner, Product colour: Black, White, Display: LCD.
Sensor type: Dual CCD, Daily duty cycle (max): 30000 pages, Light source: White LED (4x). Auto
document feeder (ADF) input capacity: 300 sheets. Maximum ISO A-series paper size: A3, Scanning
media types supported: Envelopes, Plain paper, Plastic Card, Thin paper, ISO A-series sizes (A0...A9): A3,
A3+, A4, A5, A6, A7, A8

Scanning

Maximum scan size *	304.8 x 431.8 mm
Optical scanning resolution *	600 x 600 DPI
Colour scanning	✔
Duplex scanning *	✔
Output colour depth	24 bit
Output greyscale depth	8 bit
Output monochrome depth	1 bit
ADF scan speed (b/w, A4)	100 ppm
Duplex ADF scan speed (b/w, A4)	200 ipm
Duplex ADF scan speed (colour, A4)	200 ipm
Black/white scanning colour modes	Grayscale, Monochrome

Design

Scanner type *	ADF scanner
Product colour *	Black, White
Display	LCD
Built-in display *	✔

Performance

Sensor type *	Dual CCD
Light source	White LED (4x)
Daily duty cycle (max) *	30000 pages
Scan drivers	ISIS, TWAIN

Input capacity

Auto document feeder (ADF) input capacity	300 sheets

Paper handling

Scanning media types supported	Envelopes, Plain paper, Plastic Card, Thin paper
Multi feed detection	✔
Maximum ISO A-series paper size *	A3
ISO A-series sizes (A0...A9)	A3, A3+, A4, A5, A6, A7, A8
Auto Document Feeder (ADF) media weight	20 - 413 g/m²

Paper handling

Minimum scan area (Flatbed)	50.8 x 69 mm

Ports & interfaces

USB port *	✔
USB version	3.2 Gen 2 (3.1 Gen 2)
Standard interfaces	USB 3.2 Gen 1 (3.1 Gen 1)

Power

Power supply type *	AC
Power consumption (typical)	64 W
Power consumption (standby)	0.35 W
Input voltage	100 - 240 V

Weight & dimensions

Width	236 mm
Depth	432 mm
Height	214 mm
Weight	11 kg

Packaging content

Cables included	AC, USB
Quick start guide	✔
AC adapter included	✔
ADF paper chute	✔
Stacker	✔
Drivers included	✔

Sustainability

Sustainability certificates	ENERGY STAR

System requirements

Windows operating systems supported	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
Server operating systems supported	Windows Server 2008, Windows Server 2008 R2 x64, Windows Server 2008 x64, Windows Server 2012 R2 x64, Windows Server 2012 x64, Windows Server 2016 x64

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%

Other features

Compliance certificates	RoHS
Selectable background colour	✔
Background colours	Black, White

0097564308888

097564308888

Catalog Object Cloud