Jabra Evolve3 45 UC - USB-A with Dongle - Mono





Brand : Jabra

Product code: 34599-889-999

Product name : Evolve3 45 UC - USB-A with Dongle - Mono

Evolve3 45 UC - USB-A with Dongle - Mono

Jabra Evolve3 45 UC - USB-A with Dongle - Mono:

The lightest headset for modern office work, Evolve3 45 weighs about the same as a deck of cards.* Paired with air-soft ear cups, you might even forget you're wearing it. And while it feels barely there, your voice is unmistakably clear. Three microphones and a precisely placed mic arm capture every word, so you stay unstoppable call after call.
Jabra Evolve3 45 UC - USB-A with Dongle - Mono. Product type: Headset. Connectivity technology: Wireless, Bluetooth. Recommended usage: Office/Call center. Headphone frequency: 20 - 20000 Hz. Wireless range: 30 m. Weight: 102 g. Product colour: Black

Performance	
Product type *	Headset
Wearing style *	Head-band
Recommended usage *	Office/Call center
Headset type *	Monaural
Product colour *	Black
LED indicators	Call
Virtual surround	✗
Heart rate monitor	✗
Motion sensor	✗
Bone conduction sensor	✗
Over the Air Updates (OTA)	✗
On/off switch	✗
Optimized for	Unified Communication
Hearing protection technologies	Jabra PeakStop, Jabra IntelliTone
Phonebook access profile (PBAP)	✗
Number of simultaneously connected devices (max)	2
Daisy chain	✗
HD voice	✗
Auto-connect	✗
In-ear pressure relief	✗
Housing material	Polycarbonate (PC), Acrylonitrile butadiene styrene (ABS), Silicone
Refurbished	✗
Unified communications	✗
Power bass	✗
Push-to-Talk (PTT)	✗

Battery	
Battery capacity	290 mAh
Continuous audio playback time	42 h
Continuous audio playback time (ANC on)	28 h
Rechargeable battery	✔
Talk time	21 h
Fast charging	✗
Fast charging time	10 min
Talk time (ANC on)	16 h
Replaceable battery	✔
Wireless charging	✗

Music player	
FM radio	✗

Operational conditions	
Operating temperature (T-T)	-10 - 45 °C
Storage temperature (T-T)	-10 - 50 °C

Weight & dimensions	
Width	173 mm
Depth	61 mm
Height	173 mm
Weight	102 g
Charging case weight	221 g

Packaging data	
Package width (imperial)	16 cm (6.3")
Package depth (imperial)	4.5 cm (1.77")
Package height (imperial)	19.1 cm (7.52")
Package width	160 mm

Performance	
Works with Amazon Alexa	✗
Steel hinges	✗
Certification	Certified for Microsoft Teams (variant dependent);Premium Microphone for Open Office;Zoom certified;Works with Google Meet;Works with all leading UC platforms;Microsoft Swift Pair;Android Fast Pair;Android Find Hub;Apple Find My;Apple MFi;AuracastTM

Ports & interfaces	
Connectivity technology *	Wireless
USB connectivity	✓
USB connector	USB Type-A
Bluetooth	✓
Bluetooth profiles	A2DP, AAC, LC3, SBC, AVRCP, HSP, HFP, SPP, PBP, TMAP
Bluetooth version	5.3
Frequency response (music mode)	20 - 20000 Hz
Frequency response (talk mode)	100 - 14500 Hz
Wireless range	30 m

Headphones	
Maximum input power	40 mW
Ear coupling *	Supraaural
Headphone frequency	20 - 20000 Hz
Impedance	16 Ω
Driver unit	2 cm
Noise canceling	✓
Noise reduction	✗
HearThrough	✓

Microphone	
Microphone type *	Boom
Microphone frequency	100 - 14500 Hz
Microphone sensitivity	-38 dB
Number of microphones	3
Microphone mute	✗

Battery	
Battery operated	✓
Battery type	Built-in battery
Battery technology	Lithium-Ion (Li-Ion)

Packaging data	
Package depth	45 mm
Package height	191 mm

Packaging content	
Charging stand	✗
Charging case	✗
AC adapter included *	✗
Carrying case	✗

Technical details	
Easy pairing	✗
Multipoint connectivity	✓

Power	
USB Type-C charging port *	✗

Supplier features	
Charging time	100 min

Certificates	
Certified for Microsoft Teams	✓

Other features	
Automatic volume adjustment	✗
Bluetooth Low Energy (BLE)	✓
USB cable length	1.2 m
Voice guidance	✗
Depth (imperial)	6.1 cm (2.4")
Height (imperial)	17.3 cm (6.8")
Width (imperial)	17.3 cm (6.8")
Applications supported	Jabra Plus;Jabra Direct;Jabra Xpress
Speakerphone	✗
Auto power off	✗
Near Field Communication (NFC)	✗
Battery life (fast charging)	2 h
Operating temperature (T-T)	14 - 113 °F
Protective pouch	✗
Voice control	✗
Digital Signal Processing (DSP)	✗
Packaging content	Headset;Link 390 Bluetooth adapter;usb-c to usb-c cable;Carry pouch;Charging stand (SKU dependent);Warranty and warning leaflets

0706487029311

706487029311

5706991036084

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 10-NOV-2026. Prints or copies of Information are only valid on the printed Publication date