

NETGEAR GSM4230P Managed L2/L3/L4 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) 1U Black

Brand : NETGEAR

Product code: GSM4230P-100NAS

Product name : GSM4230P

- Pre-configured for out-of-the-box use
- Video profiles built-in
- Dedicated AV web-based GUI interface
- Unique Automatic Configuration
- Profiles for common audio protocols

M4250-26G4F-PoE+ (GSM4230P) 24x1G PoE+ 300W 2x1G and 4xSFP Managed Switch
 NETGEAR GSM4230P. Switch type: Managed, Switch layer: L2/L3/L4. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 26, Console port: RJ-45/USB Type-C. MAC address table: 16000 entries, Switching capacity: 60 Gbit/s. Networking standards: IEEE 802.3af, IEEE 802.3bt. Power over Ethernet (PoE). Rack mounting, Form factor: 1U



Management features		Multicast features	
Switch type *	Managed	Multicast support	✓
Switch layer	L2/L3/L4	IPv4 multicast entries	512
Quality of Service (QoS) support	✓	IPv6 multicast entries	128
Web-based management	✓	Protocols	
Ports & interfaces		Management protocols	Web GUI, HTTPs, CLI, Telnet, SSH, SNMP, MIBs RSPAN, Radius Users, TACACS+
Basic switching RJ-45 Ethernet ports quantity *	26	Design	
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	Rack mounting *	✓
SFP module slots quantity	4	Stackable *	✗
Console port	RJ-45/USB Type-C	Form factor	1U
Network		Product colour	Black
Networking standards *	IEEE 802.3af, IEEE 802.3bt	LED indicators	✓
Spanning tree protocol	✓	Number of fans	0 fan(s)
VLAN support	✓	Performance	
Virtual LAN features	Private VLAN	Noise level	57 dB
Number of VLANs	4000	Fanless	✓
Data transmission		Power	
Switching capacity *	60 Gbit/s	Power source *	PoE
Throughput	44.64 Mpps	Power over Ethernet (PoE)	
MAC address table *	16000 entries	Power over Ethernet (PoE) *	✓
Latency (1 Gbps)	2.15 µs	Power over Ethernet plus (PoE+) ports quantity	24
Jumbo frames support	✓	Total Power over Ethernet (PoE) budget	300 W
Jumbo frames	12000	Weight & dimensions	
Packet buffer memory	16 MB	Width	440 mm
Security		Depth	257 mm
DHCP features	DHCP relay, DHCP server, DHCPv6 server	Height	43.2 mm
IGMP snooping	✓	Weight	4.3 kg
		Packaging content	
		Cables included	AC, LAN (RJ-45), USB Type-C

Packaging content

User guide





0606449151688



606449151688

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.