EPSON

Epson PowerLite V11H982020 data projector Standard throw projector 3600 ANSI lumens 3LCD XGA (1024x768) White

Brand : Epson **Product family:** PowerLite **Product code:** V11H982020

Product name : V11H982020

- Easy setup and positioning flexibility
- HDMI connectivity
- Built-in 5 W speaker
- Screen size up to 300"
3600 ANSI lumens, 3LCD, XGA (1024x768), 16000:1, 1.073 billion

Epson PowerLite V11H982020 data projector Standard throw projector 3600 ANSI lumens 3LCD XGA (1024x768) White:

Encourage collaboration in the classroom with this versatile, 3LCD projector

Create engaging classroom displays with the dynamic PowerLite X49 projector. Offering advanced 3LCD technology, this ultra bright projector delivers eye-catching, 3,600-lumen displays with native XGA resolution. Designed to enhance in-class collaboration, the PowerLite X49 projects from smart devices and laptops, and features a built-in Moderator function that allows up to 50 users to connect to the display simultaneously. Built to last, this durable projector provides a long lamp life of up to 12,000 hours in ECO Mode, plus HDMI connectivity and convenient positioning flexibility for easy projection from anywhere in the classroom.

Projector

Screen size compatibility *	762 - 7620 mm (30 - 300")
Projection distance	0.89 - 9.12 m
Projector brightness *	3600 ANSI lumens
Projection technology *	3LCD
Projector native resolution *	XGA (1024x768)
Contrast ratio (typical) *	16000:1
Native aspect ratio *	4:3
Number of colours	1.073 billion colours
Matrix type	3-panel (p-Si TFT active)

Light source

Light source type *	Lamp
Service life of light source *	6000 h
Service life of light source (economic mode)	12000 h
Lamp type	UHE
Lamp power	210 W

Lens system

Focus *	Manual
Focal length range	1.49 - 1.72 mm
Zoom capability	✔

Video

Analog signal format system *	NTSC, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM
Full HD *	✔

Ports & interfaces

S-Video inputs quantity	1
USB 2.0 Type-B ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Audio (L/R) in *	1
Audio (L/R) out	1
Microphone in	✔

Network

Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Wi-Fi *	✔
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)

Features

Noise level (economic mode)	28 dB
Noise level *	37 dB

Multimedia

Built-in speaker(s) *	✔
RMS rated power	16 W
Number of built-in speakers	1

Design

Market positioning *	Portable
Product type *	Standard throw projector
Product colour *	White

Power

Power source *	AC
Power consumption (typical) *	345 W
Power consumption (economy mode)	235 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

Operational conditions

Operating temperature (T-T)	5 - 35 °C

Weight & dimensions

Width	294.6 mm
Depth	259 mm
Height	86.3 mm
Weight *	2.7 kg

Ports & interfaces

Serial interface type *	RS-232C
VGA (D-Sub) ports quantity *	1
HDMI ports quantity *	1
Composite video out	1

Packaging content

Remote control included *	✔
Batteries included	✔
Cables included	AC, VGA
Manual	✔

Technical details

Compliance certificates	RoHS

Logistics data

Quantity per pack	1 pc(s)

0010343954137

010343954137