



HP ENVY Inspire 7220e All-in-One Printer Thermal inkjet A4 4800 x 1200 DPI 15 ppm Wi-Fi

Brand : HP

Product family: ENVY

Product code: 327B0A

Product name : ENVY Inspire
7220e All-in-One Printer

ENVY Inspire 7220e All-in-One Printer

HP ENVY Inspire 7220e All-in-One Printer Thermal inkjet A4 4800 x 1200 DPI 15 ppm Wi-Fi:

Everything you need in a home printer.

Work, learn and create with the printer that prints everything so you can tackle anything - from high-quality photos to documents. Choose HP+ and get the smart printing system that keeps you connected and ready to print from virtually anywhere^[1]

Dynamic security

Dynamic security enabled printer

Product Disclaimer


Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges. **More at** <http://www.hp.com/learn/ds>



Printing		Ports & interfaces	
Duplex printing mode	Auto	USB port	✓
Print resolution colour	4800 x 1200 DPI	USB 2.0 ports quantity	1
Print resolution black	1200 x 1200 DPI	Network	
Print technology *	Thermal inkjet	Wi-Fi *	✓
Printing *	Colour printing	Ethernet LAN *	✗
Duplex printing *	✓	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Maximum resolution *	4800 x 1200 DPI	Bluetooth	✓
Print speed (black, normal quality, A4/US Letter) *	15 ppm	Mobile printing technologies	Apple AirPrint, Mopria Print Service
Print speed (colour, normal quality, A4/US Letter)	10 ppm	Performance	
Print speed (black, draft quality, A4/US Letter)	22 ppm	Maximum internal memory	256 MB
Print speed (colour, draft quality, A4/US Letter)	20 ppm	Internal memory *	256 MB
Print speed (ISO/IEC 24734) black	15 ppm	Built-in processor	✓
Print speed (ISO/IEC 24734) colour	10 ppm	Processor frequency	800 MHz
Time to first page (black, normal)	16 s	Sound power level (printing)	6.3 dB
Time to first page (colour, normal)	18 s	Design	
Print margins (top, bottom, right, left)	3 mm	Product colour *	Beige
N-in-1 print function	✓	Colour name	Portobello
Booklet printing function	✓	Market positioning *	Home & office
Borderless printing	✓	Built-in display *	✓
Copying		Display diagonal	6.86 cm (2.7")
Duplex copying *	✓	Touchscreen	✓
Copying *	Colour copying	Control type	Touch
Maximum copy resolution *	600 x 600 DPI	Colour display	✓
Copy speed (black, normal quality, A4)	22 cpm	Power	
Copy speed (colour, normal quality, A4)	15 cpm	Power consumption (printing)	14 W
Copy speed (black, draft, A4)	22 cpm	Power consumption (ready)	4.9 W
Copy speed (colour, draft, A4)	15 cpm	Power consumption (sleep)	1.05 W
Maximum number of copies	50 copies	Power consumption (off)	0.05 W
		AC input voltage	100 - 240 V
		AC input frequency	50/60 Hz

Copying		Brand-specific features	
Copier resize	25 - 400%	HP Auto-On/Auto-Off	✓
ID-card copy function	✓	System requirements	
Auto fit function	✓	Windows operating systems supported	Windows 7, Windows 10, Windows 11
Scanning		Mac operating systems supported	Mac OS X 10.14 Mojave
Duplex scanning *	✗	Other operating systems supported	ChromeOS
Scanning *	Colour scanning	Operational conditions	
Optical scanning resolution *	1200 x 1200 DPI	Operating relative humidity (H-H)	20 - 80%
Maximum scan resolution	1200 x 1200 DPI	Recommended humidity operating range	20 - 80%
Maximum scan area	215.9 x 297 mm	Storage temperature (T-T)	-40 - 60 °C
Scanner type *	Flatbed scanner	Operating temperature (T-T)	5 - 40 °C
Scan technology	CIS	Non-operating relative humidity (non-condensing)	10 - 90%
Scan to	E-mail Server, Software	Operating altitude	0 - 3048 m
Image formats supported	BMP, JPG, PNG, TIFF	Non-operating altitude	0 - 4500 m
Document formats supported	PDF	Certificates	
Input colour depth	24 bit	Certification	EN 55032:2012/AC:2013 Class B;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN 301 489-17 V3.2.4:2020-09;EN 55032:2012/AC:2013 Class B;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN 301 489-17 V3.2.4:2020-09;IEC 61000-4-2:2008;EN 55035:2017;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09;IEC 61000-4-3:2010;EN 55035:2017;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09;IEC 61000-4-8:2009;EN 55035:2017 ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09;IEC 61000-4-11:2004 +A1:2017;EN 55035:2017;ETSI EN 301 489-1 V2.2.3:2019-11;ETSI EN301 489-17 V3.2.4:2020-09
Greyscale levels	256		
Scan drivers	TWAIN		
TWAIN version	2.1		
Fax			
Faxing *	✗		
Features			
Recommended duty cycle	300 - 400 pages per month		
Maximum duty cycle *	1000 pages per month		
Duplex functions *	Print		
Digital sender	✓		
Number of print cartridges *	2		
Printing colours *	Black, Cyan, Magenta, Yellow		
Page description languages	PCL 3 GUI		
All-In-One-multitasking	✓		
Country of origin	Thailand		
HP segment	Home		
Input & output capacity			
Total number of input trays *	2		
Total input capacity *	125 sheets		
Total output capacity *	60 sheets		
Maximum number of input trays	2		
Maximum input capacity	125 sheets		
Maximum output capacity	60 sheets		
Paper handling			
Maximum ISO A-series paper size *	A4		
Maximum print size	209.9 x 349.6 mm		
Paper tray media types *	Glossy paper, Matte paper, Photo paper, Plain paper, Recycled paper, Thick paper		
ISO A-series sizes (A0...A9) *	A4, A5, A6		
ISO B-series sizes (B0...B9)	B5		
ISO C-series sizes (C0...C9)	C5, C6		
Non-ISO print media sizes	2L, Hagaki card		
JIS B-series sizes (B0...B9)	B5		
Envelopes sizes	10, C5, C6, DL		
Photo paper sizes	10x30,10x15,13x18,13x13		
Photo paper sizes (imperial)	4x12,4x6,5x7,8x10		
Borderless printing media sizes	A4, Letter		
Custom media width	97.79 - 127 mm		
Custom media length	215 - 309 mm		
Paper tray media weight	75 - 300 g/m²		
Recommended media weight	70 - 90 g/m²		

Ports & interfaces		Logistics data	
Direct printing *	✓	Products per pallet	40 pc(s)
Technical details		Other features	
Master (outer) cases per pallet layer		8 pc(s)	
Number of users		5 user(s)	
Pallet dimensions (W x D x H)		1219.2 x 1016 x 2457 mm	
Recommended system requirements		Intel Pentium II, Celeron or 233 MHz or better processor; 2 GB available hard disk space; Internet connection; web browser	
PictBridge		✗	
Pallet dimensions (W x D x H) (imperial)		1219.2 x 1016 x 2456.9 mm (48 x 40 x 96.7")	
Pallet weight (imperial)		367.4 kg (810 lbs)	
Plug and Play		✓	
Number of print heads		2	



0195697709746



195697709746

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-APR-2024. Prints or copies of Information are only valid on the printed Publication date