

## Samsung LS34C654VANXGO computer monitor 86.4 cm (34") 3440 x 1440 pixels UltraWide Quad HD LED Black

**Brand :** Samsung

**Product code:** LS34C654VANXGO

**Product name :** LS34C654VANXGO

- 86.4cm (34") UltraWide Quad HD 3440 x 1440 VA
- 5ms, 21:9, 350cd/m<sup>2</sup>, 3000:1
- USB, HDMI

86.4cm (34") UltraWide Quad HD 3440 x 1440 VA, 21:9, 350cd/m<sup>2</sup>, 1.07B, 5ms, 178°/178°, 3000:1 Samsung LS34C654VANXGO. Display diagonal: 86.4 cm (34"), Display resolution: 3440 x 1440 pixels, HD type: UltraWide Quad HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	86.4 cm (34")	USB Power Delivery	✓
Display resolution *	3440 x 1440 pixels	USB Power Delivery up to	90 W
HD type *	UltraWide Quad HD	HDMI *	✓
Native aspect ratio *	21:9	HDMI ports quantity	1
Display technology *	LED	HDMI version	2.0
Panel type *	VA	DisplayPorts quantity	1
Touchscreen *	✗	DisplayPort version	1.2
Display brightness (typical)	350 cd/m <sup>2</sup>	Headphone out *	✓
Response time	5 ms	HDCP	✓
Screen shape *	Curved	HDCP version	2.2
Screen curvature rating	1000R	<b>Network</b>	
Contrast ratio (typical) *	3000:1	Ethernet LAN	✓
Dynamic contrast ratio marketing name	Mega DCR	<b>Ergonomics</b>	
Maximum refresh rate *	100 Hz	VESA mounting *	✓
Viewing angle, horizontal	178°	Panel mounting interface	100 x 100 mm
Viewing angle, vertical	178°	Height adjustment *	✓
Display number of colours *	1.07 billion colours	Height adjustment	12 cm
Viewable size, horizontal	79.7 cm	Swivelling	✓
Viewable size, vertical	33.4 cm	Swivel angle range	-30 - 30°
High Dynamic Range (HDR) supported	✓	Tilt angle range	-2 - 20°
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Picture-in-Picture	✓
<b>Performance</b>		<b>Power</b>	
AMD FreeSync *	✓	Power consumption (max)	200 W
Flicker-free technology	✓	AC input voltage	100 - 240 V
<b>Multimedia</b>		<b>Operational conditions</b>	
Built-in speaker(s) *	✓	Operating temperature (T-T)	10 - 40 °C
Built-in camera *	✓	Operating relative humidity (H-H)	10 - 80%
RMS rated power	5 W	<b>Packaging content</b>	
Megapixel (approx.)	5 MP	Cables included	DisplayPort, HDMI, USB

Design		Weight & dimensions	
Market positioning *	Business	Width (with stand)	806.6 mm
Product colour *	Black	Depth (with stand)	241 mm
Ports & interfaces		Height (with stand)	561.5 mm
Built-in USB hub *	✓	Weight (with stand)	8 kg
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Width (without stand)	806.6 mm
USB upstream port type	USB Type-B, USB Type-C	Depth (without stand)	125 mm
Number of USB Type-B upstream ports quantity	1	Height (without stand)	369.4 mm
USB Type-A downstream ports quantity	2	Weight (without stand)	5.2 kg
		Packaging data	
		Package width	807 mm
		Package depth	125 mm
		Package height	367 mm
		Package weight	10.5 kg

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 18-JUN-2024. Prints or copies of Information are only valid on the printed Publication date