
Epson PowerLite V11H985020 data projector Standard throw projector 4000 ANSI lumens 3LCD WXGA (1200x800) White

Brand: Epson Product family: PowerLite Product code: V11H985020

Product name: V11H985020

3LCD, 1280 x 800 (WXGA), 4000 lumens, 33" to 320", 16000:1, NTSC/PAL, 2.8 kg

Epson PowerLite V11H985020 data projector Standard throw projector 4000 ANSI lumens 3LCD WXGA (1200x800) White:



Increase collaboration in the classroom with the PowerLite 119W projector. Designed to maximize engagement and enrich lesson plans, this powerful WXGA projector delivers eye-catching, widescreen displays with 4,000 lumens of color and white brightness1. Featuring an integrated Moderator function2, the PowerLite 119W allows up to 50 users to connect to the display and share content from laptops or mobile devices3. Plus, this durable projector features up to 17,000 hours of lamp life in ECO Mode4, a 16 W speaker, a microphone input, and dual HDMI ports to create dynamic, high-definition displays in a variety of learning environments





Projector		Network	
Screen size compatibility *	838.2 - 8128 mm (33 - 320")	Smart TV *	×
Projection distance	0.91 - 9.07 m	Ethernet LAN *	✓
Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) * Native aspect ratio *	4000 ANSI lumens 3LCD WXGA (1200x800) 16000:1 16:10 1.07 billion colours	Ethernet LAN (RJ-45) ports	1
		Storage	
		Card reader integrated *	×
		Features	
Number of colours		Noise level (economic mode)	28 dB
Keystone correction, horizontal	-30 - 30°	Noise level *	37 dB
Keystone correction, vertical	-30 - 30°	Multimedia	
Light source		Built-in speaker(s) *	✓
Light source type *	Lamp	RMS rated power	16 W
Service life of light source *	10000 h	Number of built-in speakers	10 W
Service life of light source (economic mode)	17000 h	·	-
Lamp type	UHE	Design	Durantation
Lamp power	210 W	Market positioning * Product type *	Presentation Standard throw projector
Lens system		Product colour *	White
Focus *	Manual	Placement	Ceiling
Focal length range	16.9 - 20.28 mm	Cable lock slot	/
Video		Cable lock slot type	Kensington
	NTSC, NTSC 4.43, PAL, PAL 60, PAL M, PAL N, SECAM	Display	
Analog signal format system *		Built-in display *	×
Full HD *	×	Power	
3D *	×	Power source *	AC
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1280 x 1024 (SXGA), 1280 x 960, 1366 x 768, 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1600 x 1200 (UXGA)	Power consumption (typical) *	345 W
		Power consumption (economy mode)	235 W
		AC input voltage	100 - 240 V
Ports & interfaces		AC input frequency	50 - 60 Hz
USB 2.0 ports quantity	2	Operational conditions	
USB 2.0 Type-B ports quantity	1	Operating temperature (T-T)	5 - 35 °C
Audio (L/R) in *	1		
Microphone in	✓		

Ports & interfaces		Weight & dimensions	
Serial interface type *	RS-232C	Width	299.7 mm
VGA (D-Sub) ports quantity *	1	Depth	248.9 mm
HDMI ports quantity *	2	Height	91.4 mm
Component video (YPbPr/YCbCr) in	* 2	Weight *	2.8 kg
DVI port *	×	Packaging content	
		Remote control included *	✓
		Cables included	AC, VGA
		Technical details	
		Compliance certificates	RoHS





010343954168

0010343954168

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.