



Canon DR-S350NW ADF scanner 600 x 600 DPI A4 Black

Brand : Canon

Product code: 6897C002

Product name : DR-S350NW

50ppm/100ipm, 60 sheets ADF, 4.3" colour LCD touch panel, CIS, 600dpi, 220 - 240V (50/60Hz), 3.4kg

[Canon DR-S350NW ADF scanner 600 x 600 DPI A4 Black:](#)

Canon imageFORMULA DR-S350NW

Simplify scanning with large colour touch screen operation and flexible connectivity options including driverless and PC-less operation.

A powerful tool for hybrid working


Support hybrid working with a powerful and easy-to-use scanner. Connect easily to other devices and enhance efficiency across various working environments while benefiting from 100ipm scan speed. Canon DR-S350NW. Optical scanning resolution: 600 x 600 DPI, ADF scan speed (b/w, A4): 50 ppm, Duplex ADF scan speed (b/w, A4): 100 ipm. Scanner type: ADF scanner, Product colour: Black, Display: LCD. Sensor type: CIS, Daily duty cycle (max): 9000 pages, Scan to: FTP. Auto document feeder (ADF) input capacity: 60 sheets. Maximum ISO A-series paper size: A4, Media thickness (min): 0.04 mm, Card thickness (max): 0.3 mm




Scanning		Ports & interfaces	
Optical scanning resolution *	600 x 600 DPI	USB port *	✓
Duplex scanning *	✓	USB version	2.0
ADF scan speed (b/w, A4)	50 ppm	USB connector type	USB Type-A
Duplex ADF scan speed (b/w, A4)	100 ipm	Network	
Design		Wi-Fi	✓
Scanner type *	ADF scanner	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Product colour *	Black	Ethernet LAN	✓
Display	LCD	Power	
Display diagonal	10.9 cm (4.3")	Power supply type *	AC
Built-in display *	✓	Power consumption (off)	0.3 W
Performance		AC input frequency	50 - 60 Hz
Sensor type *	CIS	Sleep mode	✓
Daily duty cycle (max) *	9000 pages	Input voltage	220 - 240 V
Scan to	FTP	Power consumption (sleep)	2 W
Input capacity		Weight & dimensions	
Auto document feeder (ADF) input capacity	60 sheets	Width	291 mm
Paper handling		Depth	267 mm
Long-paper mode	✓	Height	242 mm
Maximum ISO A-series paper size *	A4	Weight	3.4 kg
Media thickness (min)	0.04 mm	Sustainability	
Card thickness (max)	0.3 mm	Sustainability certificates	EPEAT
Maximum scan width	21.6 cm	Operational conditions	
Maximum scan length	35.6 cm	Operating temperature (T-T)	10 - 32.5 °C

Operational conditions

Operating relative humidity (H-H) 20 - 80%



0013803385090



013803385090

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.