Canon DR-S350NW ADF scanner 600 x 600 DPI A4 Black



Brand : Canon

Product code: 6897C002

Product name : DR-S350NW

50ppm/100ipm, 60 sheets ADF, 4.3” colour LCD touch panel, CIS, 600dpi, 220 - 240V (50/60Hz), 3.4kg

Canon DR-S350NW ADF scanner 600 x 600 DPI A4 Black:

Canon imageFORMULA DR-S350NW

Simplify scanning with large colour touch screen operation and flexible connectivity options including driverless and PC-less operation.

A powerful tool for hybrid working



Support hybrid working with a powerful and easy-to-use scanner. Connect easily to other devices and enhance efficiency across various working environments while benefiting from 100ipm scan speed. Canon DR-S350NW. Optical scanning resolution: 600 x 600 DPI, ADF scan speed (b/w, A4): 50 ppm, Duplex ADF scan speed (b/w, A4): 100 ipm. Scanner type: ADF scanner, Product colour: Black, Display: LCD. Sensor type: CIS, Daily duty cycle (max): 9000 pages, Scan to: FTP. Auto document feeder (ADF) input capacity: 60 sheets. Maximum ISO A-series paper size: A4, Media thickness (min): 0.04 mm, Card thickness (max): 0.3 mm

Scanning	
Optical scanning resolution *	600 x 600 DPI
Duplex scanning *	✔
ADF scan speed (b/w, A4)	50 ppm
Duplex ADF scan speed (b/w, A4)	100 ipm
Design	
Scanner type *	ADF scanner
Product colour *	Black
Display	LCD
Display diagonal	10.9 cm (4.3")
Built-in display *	✔
Performance	
Sensor type *	CIS
Daily duty cycle (max) *	9000 pages
Scan to	FTP
Input capacity	
Auto document feeder (ADF) input capacity	60 sheets
Paper handling	
Long-paper mode	✔
Maximum ISO A-series paper size *	A4
Media thickness (min)	0.04 mm
Card thickness (max)	0.3 mm
Maximum scan width	21.6 cm
Maximum scan length	35.6 cm

Ports & interfaces	
USB port *	✔
USB version	2.0
USB connector type	USB Type-A
Network	
Wi-Fi	✔
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Ethernet LAN	✔
Power	
Power supply type *	AC
Power consumption (off)	0.3 W
AC input frequency	50 - 60 Hz
Sleep mode	✔
Input voltage	220 - 240 V
Power consumption (sleep)	2 W
Weight & dimensions	
Width	291 mm
Depth	267 mm
Height	242 mm
Weight	3.4 kg
Sustainability	
Sustainability certificates	EPEAT
Operational conditions	
Operating temperature (T-T)	10 - 32.5 °C

Operational conditions	
Operating relative humidity (H-H)	20 - 80%

0013803385090

013803385090

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 30-OCT-2026. Prints or copies of Information are only valid on the printed Publication date