Viewsonic LX700-4K data projector 3500 ANSI lumens DMD UHD 4K (3840x2160) White

Brand: Viewsonic Product code: LX700-4K

Product name: LX700-4K

3840 x 2160, 3500 ANSI Lumens, 0.56" DMD, 1.36 Optical Zoom, 3000000:1, 180W Viewsonic LX700-4K. Projector brightness: 3500 ANSI lumens, Projection technology: DMD, Projector native resolution: UHD 4K (3840x2160). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focal length range: 15.985 - 21.423 mm, Aperture range (F-F): 2.51 - 2.93, Throw ratio: 1.06 - 1.45. Supported graphics resolutions: 640×480 (VGA), 3840 x 2160, Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p. Serial interface type: RS-232, HDMI version: 2.0b, Service port type: USB Type-A





Projector		Ports & interfaces	
Smart projector *	×	DC-in jack	✓
Screen size compatibility *	762 - 7620 mm (30 - 300")	Audio Return Channel (ARC)	✓
Projector brightness *	3500 ANSI lumens	Network	
Projection technology *	DMD	Smart TV *	×
Projector native resolution * Contrast ratio (typical) *	UHD 4K (3840x2160) 3000000:1	Ethernet LAN *	×
Native aspect ratio *	16:9	Wi-Fi *	×
Number of colours	1.07 billion colours		^
Horizontal scan range	15 - 135 kHz	Storage	
Vertical scan range	23 - 240 Hz	Card reader integrated *	×
Keystone correction, horizontal	-30 - 30°	Features	
Keystone correction, vertical	-30 - 30°	Interactive *	×
Matrix size	1.65 cm (0.65")	Noise level (economic mode)	26 dB
Light source		HDCP	✓
Light source type *	Laser	Noise level *	31 dB
Service life of light source *	20000 h	Multimedia	
Service life of light source (economic mode)	30000 h	Built-in speaker(s) *	√
,		RMS rated power	15 W
Lens system	15.005 01.400	Number of built-in speakers	1
Focal length range Aperture range (F-F)	15.985 - 21.423 mm 2.51 - 2.93	Design	
Throw ratio	2.31 - 2.93 1.06 - 1.45	Market positioning *	Home cinema
Vertical lens shift range	-15 - 0%	Product colour *	White
Offset	137%	Display	
Video		Built-in display *	×
Analog signal format system *	Not supported	. ,	^
Full HD *	✓	Power	
3D*	×	Power source *	AC
Supported graphics resolutions	640 x 480 (VGA), 3840 x 2160	Power consumption (typical) *	180 W
5 .	480i, 480p, 576i, 576p, 720p, 1080i,	Power consumption (standby) * AC adapter output voltage	0.5 W 100 - 240 V
Supported video modes	1080p, 2160p		100 - 240 V
Ports & interfaces		Operational conditions	
HDMI version	2.0b	Operating temperature (T-T)	0 - 40 °C
Service port type	USB Type-A	Weight & dimensions	
USB 2.0 ports quantity	1	Width	286 mm
Headphone outputs	1	Depth	216 mm
Serial interface type *	RS-232	Height	129 mm
HDMI ports quantity *	2	Weight *	3.3 kg

Ports & interfaces		Weight & dimensions	
DVI port *	×	Package width	400 mm
		Package depth	280 mm
		Package height	255 mm
		Package weight	4.7 kg
		Packaging content	
		Remote control included *	✓
		Cables included	AC





766907023961

0766907023961

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.