QNAP

QNAP TVS-873e NAS Tower AMD Embedded R-Series SoC RX-421BD 4 GB DDR4 0 TB QNAP Turbo System Gold

Brand: QNAP Product code: TVS-873E-4G-US

Product name: TVS-873e

- Integrated Radeon $^{\mbox{\tiny IM}}$ R7 GPU for 4K video playback
- Two PCle slots support 10GbE adapters, QM2 cards, USB 3.1 10Gbps cards, or wireless network cards
- Use the NAS as a PC by attaching a keyboard, mouse, and HDMI display
- Qtier™ auto-tiering technology and SSD caching enable 24/7 optimized storage efficiency
- Scalable storage supporting virtualization, containerized apps, centralized storage, backup, sharing, and disaster recovery
- RAID 50/60 is recommended for NAS with over 10 disks to strike a balance between capacity, protection, and performance

AMD RX-421BD (4x 2.1GHz) 64-bit, Radeon R7, 4GB DDR4, 512MB DOM, 2.5"/3.5", SATA III, 4x RJ-45, 4x USB 3.0, 2x PCle 3.0 x4, 2x HDMI 1.4b

QNAP TVS-873e. Type: NAS. Chassis type: Tower. Device class: Home & Home Office. Processor family: AMD Embedded R-Series SoC, Processor model: RX-421BD, Processor frequency: 2.1 GHz. Internal memory: 4 GB, Internal memory type: DDR4. Total installed storage capacity: 0 TB. Operating system installed: QNAP Turbo System





Stavara		Decima	
Storage		Design	
Storage drive capacity *	0 GB	Chassis type *	Tower
Supported storage drive interfaces	Serial ATA III	Cooling type *	Active
Storage drive sizes supported	2.5,3.5"	Product colour	Gold
Number of M.2 (M & B) slots	2	Number of fans	3 fan(s)
RAID support *	1	Fan diameter	12 cm
RAID levels	0, 1, 5, 6, 10, JBOD	Fan diameter 2	6 cm
Online RAID migration	✓	Built-in display	/
Online RAID expansion	✓	Display type	LCD
Hot-swap drive bays	✓	Cable lock slot	1
Supported file systems	FAT32, HFS+, HPFS, exFAT, ext3,	Cable lock slot type	Kensington
Supported me systems	ext4	Built-in speaker(s)	✓
Storage drives installed *	×	Number of built-in speakers	2
Total installed storage capacity *	0 TB	Performance	
Number of storage drives supported	8	Type *	NAS
Installed shows a delice toward		Device class *	Home & Home Office
Installed storage drive type *	X	Backup function *	✓
Supported storage drive types *	HDD & SSD	Backup features	Cloud, iSCSI LUN
Processor		Buzzer	✓
Processor family *	AMD Embedded R-Series SoC	Multilingual support	/
Processor model *	RX-421BD	Mattinigual Support	256-bit AES, HTTPS, SNMP, SSH,
Processor frequency *	2.1 GHz	Security algorithms	SSL/TLS
Processor cores	4	Access Control List (ACL)	✓
On-board graphics card model	AMD Radeon R7	On/off switch	/
Memory		314 511 5111511	Apple Safari 7, Google Chrome,
Internal memory *	4 GB	Browser supported	Microsoft Internet Explorer 10,
Internal memory type	DDR4		Mozilla Firefox
Maximum RAM supported	64 GB	Backup button	✓
Memory slots	4	Universal Plug and Play (UPnP)	✓
Memory form factor	SO-DIMM	Software	
Flash memory	512 MB	Operating system installed *	QNAP Turbo System
Network		Operating system version	4.3
Ethernet LAN *	/	Windows operating systems supported	Windows 10, Windows 7, Windows 8
Ethernet LAN data rates	10,100,1000 Mbit/s	Linux operating systems supported	✓

Network		Software	
Wi-Fi DHCP client	×	Mac operating systems supported	Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
DHCP server Jumbo frames support iSCSI support	* * *	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Wake-on-LAN ready	✓	Power	
Dynamic DNS (DDNS) Ports & interfaces	/	Power supply location Power supply unit (PSU) capacity	Built-in 250 W
USB port *	AC input voltage AC input frequency	100 - 240 V 50 - 60 Hz	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	Weight & dimensions	
HDMI ports quantity HDMI version Ethernet LAN (RJ-45) ports * 3.5 mm (1/8-inch) out Microphone in PCI Express x4 (Gen 3.x) slots	2 1.4b 4 • • 2	Width * Depth * Height * Weight	329.3 mm 279.6 mm 188.2 mm 6.52 kg
		Packaging content	
		Cables included Quick installation guide Number of screws	AC, LAN (RJ-45) ✓ 26
		Operational conditions	
		Operating temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C 5 - 95%

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.