

## QNAP TVS-873e NAS Tower AMD Embedded R-Series SoC RX-421BD 4 GB DDR4 0 TB QNAP Turbo System Gold

**Brand :** QNAP

**Product code:** TVS-873E-4G-US

**Product name :** TVS-873e

- Integrated Radeon™ R7 GPU for 4K video playback
- Two PCIe slots support 10GbE adapters, QM2 cards, USB 3.1 10Gbps cards, or wireless network cards
- Use the NAS as a PC by attaching a keyboard, mouse, and HDMI display
- Qtier™ auto-tiering technology and SSD caching enable 24/7 optimized storage efficiency
- Scalable storage supporting virtualization, containerized apps, centralized storage, backup, sharing, and disaster recovery
- RAID 50/60 is recommended for NAS with over 10 disks to strike a balance between capacity, protection, and performance

AMD RX-421BD (4x 2.1GHz) 64-bit, Radeon R7, 4GB DDR4, 512MB DOM, 2.5"/3.5", SATA III, 4x RJ-45, 4x USB 3.0, 2x PCIe 3.0 x4, 2x HDMI 1.4b

QNAP TVS-873e. Type: NAS. Chassis type: Tower. Device class: Home & Home Office. Processor family: AMD Embedded R-Series SoC, Processor model: RX-421BD, Processor frequency: 2.1 GHz. Internal memory: 4 GB, Internal memory type: DDR4. Total installed storage capacity: 0 TB. Operating system installed: QNAP Turbo System



Storage		Design	
Storage drive capacity *	0 GB	Chassis type *	Tower
Supported storage drive interfaces	Serial ATA III	Cooling type *	Active
Storage drive sizes supported	2.5,3.5"	Product colour	Gold
Number of M.2 (M & B) slots	2	Number of fans	3 fan(s)
RAID support *	✓	Fan diameter	12 cm
RAID levels	0, 1, 5, 6, 10, JBOD	Fan diameter 2	6 cm
Online RAID migration	✓	Built-in display	✓
Online RAID expansion	✓	Display type	LCD
Hot-swap drive bays	✓	Cable lock slot	✓
Supported file systems	FAT32, HFS+, HPFS, exFAT, ext3, ext4	Cable lock slot type	Kensington
Storage drives installed *	✗	Built-in speaker(s)	✓
Total installed storage capacity *	0 TB	Number of built-in speakers	2
Number of storage drives supported *	8	Performance	
Installed storage drive type *	✗	Type *	NAS
Supported storage drive types *	HDD & SSD	Device class *	Home & Home Office
Processor		Backup function *	✓
Processor family *	AMD Embedded R-Series SoC	Backup features	Cloud, iSCSI LUN
Processor model *	RX-421BD	Buzzer	✓
Processor frequency *	2.1 GHz	Multilingual support	✓
Processor cores	4	Security algorithms	256-bit AES, HTTPS, SNMP, SSH, SSL/TLS
On-board graphics card model	AMD Radeon R7	Access Control List (ACL)	✓
Memory		On/off switch	✓
Internal memory *	4 GB	Browser supported	Apple Safari 7, Google Chrome, Microsoft Internet Explorer 10, Mozilla Firefox
Internal memory type	DDR4	Backup button	✓
Maximum RAM supported	64 GB	Universal Plug and Play (UPnP)	✓
Memory slots	4	Software	
Memory form factor	SO-DIMM	Operating system installed *	QNAP Turbo System
Flash memory	512 MB	Operating system version	4.3
Network		Windows operating systems supported	Windows 10, Windows 7, Windows 8
Ethernet LAN *	✓	Linux operating systems supported	✓
Ethernet LAN data rates	10,100,1000 Mbit/s		

Network		Software	
Wi-Fi	✗	Mac operating systems supported	Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
DHCP client	✓		
DHCP server	✓	Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016
Jumbo frames support	✓		
iSCSI support	✓		
Wake-on-LAN ready	✓		
Dynamic DNS (DDNS)	✓		
Ports & interfaces		Power	
USB port *	✓	Power supply location	Built-in
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	Power supply unit (PSU) capacity	250 W
HDMI ports quantity	2	AC input voltage	100 - 240 V
HDMI version	1.4b	AC input frequency	50 - 60 Hz
Ethernet LAN (RJ-45) ports *	4	Weight & dimensions	
3.5 mm (1/8-inch) out	✓	Width *	329.3 mm
Microphone in	✓	Depth *	279.6 mm
PCI Express x4 (Gen 3.x) slots	2	Height *	188.2 mm
		Weight	6.52 kg
		Packaging content	
		Cables included	AC, LAN (RJ-45)
		Quick installation guide	✓
		Number of screws	26
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H)	5 - 95%

## Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.